

Locality: California - off mainland near
Santa Barbara

Water:

Vegetation: kelp beds

Bottom: Temp.:

Shore: Current:

Distance from shore: Tide:

Depth of capture: near surface Depth of water:Method of capture: kelp bargeCollected by: Phillip R. Park Date: III: 2: 1944

Orig. preserv.: Time:

57. Syngnathus californiensis californiensis, 1 half-grown
D. 43; Rings $21 + 47 = 68$, total 111 173 mm.

Calif. Acad. 11368

Copied
for group 57 fileHead - 22.26 mm
Snout - 13.52 mm
Depth head - 3.53 mm61. Heterostichus rostratus Girard, 5 half-grown
to adultD. xxxv", 12; A. II, 33; P₁ 13-13; P₂ I, 3-I, 3 116-198 mm.D. xxxviii, 12; A. II, 34; P₁ 12-12; P₂ I, 3-I, 3D. xxxvii, 12; A. II, 33; P₁ 13-13; P₂ I, 3-I, 3D. xxxvii, 12; A. II, 34; P₁ 13-13; P₂ I, 3-I, 3D. xxxviii, 11; A. II, 33; P₁ 13-13; P₂ I, 3-I, 3

11369

Copied for group 61 file

Corn to Calif. Acad. XI: 9: 1944

Sta. No. H44-123 Orig. No.

Locality: California - off mainland near
Santa Barbara

Water:

Vegetation: kelp beds

Bottom: Temp:

Shore: Current:

Distance from shore: Tide:

Depth of capture: near surface Depth of water:

Method of capture: Kelp large

Collected by: Phillip R. Park, Inc. Date: 1:10:1944

Orig. preserv.: Time:

47. Brachystomus frenatus 2 ad ♀

D. VIII, 16; A. III, 23

D. VIII, 15; A. III, 23

copied for ramp 47 file
Calif. Acad. 11370