Copied for CAS VII:10:1946

Sta. No. H45-129

Locality: California: Newport Bay, just east of Kirckhoff Laboratory

Lat. 33° 35'47-5/2N.; Long. 117° 52'35-41"W. (USC & GS chart 5108, 1940.)

Water: salt, clear

Vegetation: none except a large mass of floating kelp.

Bottom: soft coarse sand Temp.:

Shore: sand beach Current:

Distance from shore: to 30 ft Tide: -0.1 at 6:00 a.m. (about high)

Depth of capture: Depth of water: to 18"

Method of capture: 10' 1/4-in minnow seine and 25' bag seine

Collected by: C.L. Hubbs, E.M. Kompa, Jim Tyler "Boo" Date: VIII:10:1945

Orig. preserv.: 10% formalin & boraz Time: 11:30 a.m - 12:30 p.m

Many small Atherinops not saved

SDO ~~&~~ 40. Atherinops affinis : ser. yg. - hd. yg. (disc)

Atherinopsis c. californiensis : 1 yg. 48 mm.
discarded

CAS 19515-46. Umbrina roncador : 1 yg., 111 mm.

~~CAS~~ 47 CAS 19524 Micrometrus minimus : 11 spec. 42-65 mm.

SDO 55. Leptocottus armatus australis : ~~1 hdg~~ 3(101-111) ~~1 ?~~

~~Counts taken & data~~

SDO 57. Syngnathus ~~pisciformis~~ leptorhynchus : 2 spec. 2(65-90)

61. Heterostichus rostratus. 1 hd. yg., 67 mm.

Counts taken & discarded.