

Copied for
CAS 11.14.1976

Sta. No. H45-213

Locality: Baja California: San Santo Tomás
Anchorage just S. of Pt. between "Best Anchorage"
and Santo Tomás Pt. - (outer coast)

Lat. 31° 32' 02" N.; Long. 116° 41' 22" W. (USC & GS chart 1044, 1918)

Water: clear, salt

Vegetation: in kelp bed Macrocystis (moderately thick)

Bottom: _____ Temp: _____

Shore: _____ Current: _____

Distance from shore: 1/4 mile Tide: _____

Depth of capture: _____ Depth of water: 8 fath.

Method of capture: Hook & line (lobster bait)

Collected by: Hubbs, Hubbs, Rampa & Wessel Date: XII.17.1945

Orig. preserv.: 10% form. & borax Time: 10: - 11:30 a.m.

40. Atherinops affinis cedroscensis, common
about 1-2 fath. below surface. None
~~seen~~ caught.

48. Chromis punctipinnis, 3 adults;
CAS 19429 "mojarra" is name given by fishermen.
Count taken 170-173 mm.

50. Pimelognetoson pulchrum, 2 adult ♂♂
smaller one saved. "Vieja"
Count taken
CAS 19688 Black head & tail regions; red in between,
white chin. 415 mm.

53. Sebastodes miniatus, 1 adult. 344 mm.
CAS 19690 "rocodo"
Count taken Deep red with some orange blotches.
Red inside mouth, gill cavities with some
black; fins dusky. Some greenish

speckling on body and fins.

Sebastodes vexillaris, 1 adult ♂. 303 mm.
19433 pink with darker areas olive with yellowish
CAS scale edges. Fins + lower surfaces
^{counts} ~~inter~~ orange - pink. Head markings greenish
on pink base. ^{upper jaw not extending beyond}
^{vertical from posterior margin of}
^{rostrum} orbit. contained 5.5 times
in standard length
no pale area along l.l. posteriorly, 11th D. spine with membrane in base
Sebastodes carnatus, 4 adults. 190-231 mm.

^{CAS}
19424 light markings are pink; dark markings
yellowish olive. Fins are greenish to pale
orange with pink markings.
(Counts taken) ^{rostrum}

55. Scorpaenichthys ^{marmoratus} ~~rauer~~, 1 adult. (335)

550 Upper surfaces are brownish gray
with blackish brown saddles, blotches
and mottlings. Lower parts are orange.
brown with bluish white specklings and
mottlings. Dorsal fins blackish with
olive gray speckles. Caudal is brown
with light tan spots; banded with orange
ventrally. Other fins are blackish
with some brown and dirty gray
with some pink on thickened rays
of P₁ and spine of P₂.

"Daps"

60. [Carlotatilus ^{piniceps}]
"Pescado Blanco" reported here.

145-213
com.

S. vexillaris com.

between $\frac{1}{4}$ and $\frac{1}{5}$ height of spine
Longest D. spine 2.1 in head. Orbit 1.2 in
snout.