Copied for CAS VII:12:1946

Sta. No. H46 – 23

Locality: California: Off Catalina Island, Direct line between Avalon and San Pedro

Lat. 33 ° 29 'N.; Long. 118 ° 19 'W. (USC & GS chart 5101, 1933)

Water:

Vegetation: in floating kelp.

Bottom: Temp.:

Shore: Current:

Distance from shore: Tide:

Depth of capture: at surface Depth of water: 460 fath

Method of capture: dip net

Collected by: Herbert Mann (on E.W. Scripps) Date: ab. Jan 29, 1946

Orig. preserv.: formol + borax Time: during day, before noon.

CAS 19677

34. Mola mola: 1 small specimen preserved, smallest out of many seen, 299 mm.

53. Sebastodes sp.: only a few preserved

Counts

B Sebastodes rubrivinctus?: 5 yg., 15–29 mm.
Counts on 2 in groups of 3 fil.
The smallest is just beginning to show the pattern, the largest is definitely transitional between the 20–25 mm. yg. and the ~~30~~ 36 mm. yg. of H46-14.
Almost certainly the same species.

(over)

~~Filomedes~~ – Avalon Harbor
ab. Jan 29, 1946

Cithariichthys sordidus:
Depth ab. 12 fath
Hook + line on bottom

H46-24
(recorded short)

diploprog (Gilbert) reident. x:19:1950

A. Sebastodes ~~abbreviatus~~ ?: 2 yy. 13–26 mm.

Identified by comparison with series from 1946–14. Apparently this is the species that is typical of the floating kelp habitat, at least at this season.