Sta. No. H 46-208
1526-46

Locality: Baja California: San Benito Ids., at anchorage between the islands.

Lat. 28° 18' 14" N.; Long. 115° 34' 10" W. (~~USC & GS~~ HO chart 1194, 1920)
Water: clear, salt.
Vegetation: A few columns of Macrocystis

Bottom: sand Temp.:
Shore: rocky foreshore Current:
Distance from shore: Tide:
Depth of capture: surface Depth of water: 15 fath.
Method of capture: light + dip-net
Collected by: Zaca Exp. Date: VIII: 18: 1946
Orig. preserv.: 10% formalin + boric Time: 8:30-10:30 P.M.

2. Pyrosoma - 5 caught with fish - common

51. ~~25~~. Mediaiuma : 1 in pelagic stage.

23A Calvolabrax saxicola : 1 (35) caught; 3-4 others seen.
2B B Cynoscion parvipinnis.

kept p.

12 (277-329).

Extremely common, all adults (no smaller fry or fish seen). 12 preserved, bagged & have extra low average fin ray count. In all:

	Anal			No.
	9	10	11	
10	1+1=2	5+2=7	..	6+3=9
D 11	1+7=8	4+15=19	0+2=2	5+24=29
12	0+1=1	1+2=3	0+1=1	1+4=5
N o	2+9=11	10+19=29	0+3=3	12+31=43

All ♂'s, mostly running ripe a few partly spent.

~~Col~~

40. Atherinoides affinis
cadaverosus: (discard)

a series of ht. gr.-ad.
swarming at twin & light,
keeping close to surface,
but wary.

5/ per last J.