Copied for CAS
VIII:2:1947

Sta. No. H47-13

Locality: California: off Bird Rock, San Diego

Lat. 32° 48' 20" N.; Long. 117° 21' 50" W. (USC & GS chart 5101, 1943) appr.

Water: clear, salt.

Vegetation: —

Bottom: stones with Hendrophyllum Temp.:

Shore: rocky Current:

Distance from shore: 4½ naut. miles Tide:

Depth of capture: near bottom Depth of water: about 60 to 70 fath.

Method of capture: shark net

Collected by: Edgar E. Rock Date: I:27:1947

Orig. preserv.: 10% form + trace Time:

CAS 5. Hexanchus griseus: 4 l.-gr. ♂ saved 1(1,000)
Galeorhinus zyopterus: ♀ - 2 imm. ♀, 3 mat. ♂, 3 imm ♂.
Mustelus - ["smooth hound"]

Was in a tunicate Pyrosoma of large size (about 2-2½ x 12-14"). Pyrosoma now very abundant as for some time.

42. Tetragonurus cuvieri: 1 subad.-
Stepped on in boat by accident.
[To Stanford, May, 1947]

In stomach of Hexanchus:
Squalus: 1 much digested small fish; identified from 1 D. spine and single calcareous ring.

)+47-13A II:1:1947

Copied for CAS VIII:2:1947 Same data as #13

CAS 5. Squatina californica: 1 ad ♂

CAS)Hexanchus corinus: 1 yg. ♂ preserved

Galeorhinus zyopterus:

7 ♂'s, 2 barely mature,

5 mature

no lift made since Jan. 27.

)+47-13B II:3:1947

~~5. Hexanchus corinus: 1 yg. ♂ (1000) tank~~

(previous)