

as one SIO #
Sta. No. H 48-40 A, B, C,
D.

Locality: Bay of Tortuga Bay - F.W. Scripps St
2nd ch. + in and around bay and rocky
points on both sides of village.

Lat. 27° 41' N.; Long. 114° 53' W. (USC & GS chart, 19...)

Water:

Vegetation: Macrocytis

Bottom: Rock & sand

Temp.:

Shore: Rocky and sandy

Current:

Distance from shore: 200 yds.

Tide:

Depth of capture: to 20 feet

Depth of water: to 20 feet.

Method of capture: Spear

Collected by: H. Mann, J. L. Netter, F. Vaughn Date: 6: II 48

Orig. preserv.: 10% formalin + borax Time: 1100-1630 hrs.

2 sharks
10 fishes

✓ 5. Triakis semifasciata - 2 small

✓ 35. Paralabrax nebulifer fuscatus not sure

✓ 1 ad 1 yg.
adult not saved.

✓ 40. Atherines - 3 large adults

✓ 51. Girella nigricans - 1 large ad.
(280)

✓ 46. Roncador stearnsi - 1 not pres.

✓ 51. Hermosilla azurea - 3 " "

very common off rocky
point to south of village

H48 - 40 A

Baja Calif: Turtle bay - first rocky point
to south of village. 6: II: 48

51. Girella nigricans - common - one saved ¹⁽²⁸⁰⁾

Hermosilla azurea - very common

48. Hypsypops rubicunda - 2 seen

50. Pimelometopon pulcher - 1 seen.

H48-40 B

Baja Calif: Turtle bay - sandy bay
off village. 6:II:48

5. Triakis semilasciata - 2 small
both saved
2(396-430)

Sting rays

Shovel nose shark

46. Roncador stearnsi

~~Menticirrhus undulatus~~

40. Mugil cephalus - in schools
off pier.

64. Paralichthys californicus -
common off pier.

H 48 - 40 C

Baja Calif. Turtle bay - rocky point
to east of village 6:II:48

48. Hypsypops rubicundus - 1 seen

51. Girella nigricans
Hermosilla 224red - 2 saved
2(175-240)

Abalone: numbers taken from
depths of 6-10 ft. off the
point. Shells saved.

H 48-40 D Baja Calif: Turtle Bay
in kelp off 2nd rocky point to
south of village. 6:48

Paralabrax nebulifer - body orange
brown, overlaid with dusky on
dorsal surface. 7 vertical black
bars of varying width along body
to caudal peduncle. Spots on preoperculum
~~area~~ and antero-ventral to eye orange.
Gular membrane yellow, with
salmon pink on suboperculum
extending anteriorly almost to tip
of lower jaw. Branchiostegals
edged with salmon pink.
Prominent dark bar extending
downward from eye. Pectorals
barred with black and tipped
with bright salmon pink.

Similar coloration seen on
the specimen seized and those
brought in by fisherman from
traps.

- 2 taken. one sexed

35 Paralabrax nebulifer 1(139)

Atherines - 3 large adults

40 Athinerospis californiensis 3(217-263)