

Sta. No. H48-54

Locality: Turtle Bay
Baja Calif.: S.W. Side of islet between Coffin Rock and
Cape Totole, connected to Cape at ~~low~~ low tide.

Lat. ° 'N.; Long. ° 'W. (USC & GS chart, 19)

Water: Clear salt

Vegetation: Eel grass and kelp, very heavy

Bottom: Boulder and gravel.

Temp.:

Shore: Rock reef and backed by cliff of islet.

Current:

Distance from shore: to 30'

Tide: -0.7 at 1547

Depth of capture: to 3'

Depth of water: to 3'

Method of capture: Cyanide eggs + dip nets.

Collected by: Clark + Earl Huber

Date: II: 9: 1948

Orig. preserv.: 10% Formalin

Time: 1320-1430

Large boulder and gravel filled pool about
 10' x 20' primed + smaller shallows one
 inside 10' x 10'

26A Gymnothorax mordax 1 yg from (188) pool.

48 Hypsopops rubicundus 2 lg one from
 each pool.

50 Halichthys semicinctus 1 ad from
 small pool. 2 (59-185)

51 Breella nigricans few.

53 Scorpaena guttata one seen in large
 pool, not taken

55 Clinocottus analis few. 2 (43-64)

60A Gobiesox
rhomboides 2, one from
 each pool. 1 (31)

60 Binnicola engelmanni 3 from large pool,
from kelp. 1(33.5)

61 Labrisomus _____ one from
small pool

Parachinus integrispinus small series
of ~~at~~ yg - ad.

Gibbousia elegans series of yg - ad

Pterostichus rostratus series of yg. ▽

15(31-81)

~~13(31-78)~~ ~~1631~~

61 ~~cont~~ Hypsoblennius gentilis series yg - ad.

64 Hypsopsetta guttulata fer yg. 3(16.5-21.8)

59C Quietula y-cauda 7(32-42)

61 Heterostichus rostratus

— 9(143-202) ~~2(143.5-168)~~

57 Syngnathus euchrous olLotropis (MS)
Paratypes 47(66-216)

57 Syngnathus exilis 1(180)

57 Syngnathus auliscus 2(102-124)