H 48-247

Sta. No. (T.H.E. 48-3 to 7)

Locality: Baja California: reef, at 5 mi N. of Ensenada, between Sauzal and Punta Morro.

approx.

Lat. 31 ° 52' 30" N.; Long. 116 ° 41' 10 W. (USC & GS chart 1046, 1923)

Water: clear

Vegetation: ~~weeds~~, some eelgrass

Bottom: sand, among rocks Temp.:

Shore: low Current: completely closed pool

Distance from shore: pool, 20 x 40' Tide:

Depth of capture: Depth of water: not over 1½' mostly much less'

Method of capture: derris

Collected by: T. H. + Grace Eaton Date: VIII: 20: 1948

Orig. preserv.: 10% form + borax Time: before daylight.

47 sp.

51. Girella nigricans — ~~sexes~~, taken by Eaton.

T.H.E. 48-5

australis: 138 yg-ad.

58. Clinocottus analis — series; counts of all

T.H.E. 48-3+4 Taken and put in group 5-3-file; specimens taken by Eaton — yg-ad. 3 yg., counts taken — 2 spec. to Eaton

60. Poroclinus myriaster: 4 ad. ♂♂ Nos

61. Hypsoblennius gilberti: 4 ad.-yg.

Counts in group 6 (file; spec. to Eaton

T.H.E. 48-7

T.H.E. 48-6

Gibbonsia metzi: 1 ad.-yg.

Kept for clark To be sent to Eaton

Gibbonsia elegans: 7 ad.-yg.-yg.

Tend toward integrades

Kept for Clark To be sent to Eaton.

Vouch. & yg. fish coll.