

Sta. No. 149-25.

Locality: Calif: San Diego Bay Entrance 1/2 way between Ballast Pt & Quarantine Station.

Lat. ° 'N.; Long. ° 'W. (USC & GS chart, 19)

Water: mod. Clear, sat

Vegetation: some eel grass in patches

Bottom: sand.

Temp.:

Shore: narrow sand beach.

Current:

Distance from shore: 50 yds out into shore.

Tide:

Depth of capture: 1/2

Depth of water: 27 35 ft → 0 ft.

Method of capture: 300 ft Furubait net, bait 1/4" med. in 1/2 unit, used as beach seine.

Collected by: C. Hubbs, L. C. Hubbs, E. Kemp, F. Taylor, E. Barr, Clough Date: July 17, 19

Orig. preserv.: 10% formalin.

Time: 0700-1030.

One haul failed, using only one wing - Then 1 good haul - except hung up for a time.

5 Heterodontus francisci 1 yearling to Aguerium olive.

6 Urobatis halleri

24 ad. TO Kumpa alive, foreye research.

2 yr. saved for McHugh

Loaned to Norman Chan, UCLA VIII:27:51

8 Clupea pallasii

Anchoa compressa

47 ad (91-111)

8A

(gift)

(~~gift~~)

Saved for McHugh.

40

Leuresthes tenuis

large series

} some preserved rest discarded.

Atherinops affinis

large

} 2 3 cell jars of Atherinops

yr. - 2d. Yearlings almost all californicus; ad. mostly littoralis; some hybrid(?)

47

Damalichthys vacca

1 TO AQUARIUM.

Phanerodon furcatus

ca 40. To Kumpa, alive 7 preserved, 166-202 mm

for eye research

46 To USNM III:21:49

Seriophilus politus: 1 hl. pr. with parasitic isopod

Roncador stearnsi: 1 lg. ad. (with full egg case), in gill cavity

57 (over) 64

Citharichthys stigmaceus stigmaceus

4 (60-97)

Hypsopsetta s. sutulata

6 hl. or - ad.

Paralichthys californicus

5 10. 1/2 - 1/2 (129-246) m. ad.

over -

57: Syngnathus → about 6 taken,
but only 3 remained in coll. jars.

S/O

S. auliscus: 1 ad. ♀

S/O

S. griseo-lineatus leptorhynchus: 1
developing ♂ - Only 16 trunk rings
but in other respects seemingly
typical or nearly so. Possibly an
auliscus × leptorhynchus hybrid.

S/O

S. californiensis: 1 W. pr.