

State or Country: California Field No. H51-260

County: San Diego Map: _____, 1.

Locality: OFF LA JOLLA - about 5 miles NW. of Casa de
Mañana

Lat. _____ N., Long. _____ W.

Water: Salt

Vegetation: _____

Bottom: _____

Cover: _____ Temp: _____

Shore: _____ Current: _____

Dist. offshore: 5 miles Stream width: _____

Depth of capture: 300 feet Depth of water: 300'

Collected by J. Fleet - Ben Genter

Tide: _____ Date: 7-30-51

Method of capture: Cod drop line - 6/0 hooks

Orig. preserv.: 10% Form. Time: A.M.

Myctophids found in mouths of Sebastes

rosaceus as brought to the surface. Hake
was in stomach.

Brought to S.I.O. by AL Allanson

Approximately 5 miles N.W. of Casa de

Mañana. Sheet prepared by Allanson

25 Stenobrachius leucopsarus ^(Eve) 6.0 yf - Reg. 19-28 mm SL
Topotypes and like types from food of Sebastes
About 2/3 identifiable with certainty; about 3/4
certainly or probably **discarded 13 VII 64**

40 Leuresthes tenuis: 1, caudal end, largely digested;
identified through Cloutier (1950: 30, 49). Presumably **discarded**

53. Sebastes rosaceus ("miniatu"): heads of
several adults, to T. J. Walker for work on
lateral line organs.

62. Merluccius productus (Ayres): 1 hl. gr., from stomach
of S. rosaceus: discarded. 2/6 mm SL

Carl L. Hubbs