

State or Country: Mexico

Field No. H53-1564

County: Baja Calif

Map: 1

Locality: Guadalupe Island N. An. Lorus

Lat.

N., Long.

W.

Water: clear salt - visibility 60'

Vegetation: Cystoseira, Sargassum, Phyllospora

Bottom: Rocks & sand

Cover: Rocks & seaweed Temp.: 61.95

Shore: Rocky Current:

Dist. offshore: 100 yds Stream width:

Depth of capture: 15-40' Depth of water: 0-40'

Collected by C. Limbaugh & A. Rehnitz

Tide: Date: 2 June 1953

Method of capture: Spear

Orig. preserv.: 10% Form Time: 1500 - 1530

Observed
6 *Tarpona electrica* 1 kg Ad35 *Paralichthys clathratus* yg - Ad Num42 *Sargassum flaccidum* 1 kg47 *Brachyistius frenatus* 2 (92-100) common sclddisc. *Embiotoca jacksoni* 2 (150-154) common in small
Kept 4 (138-170) few scld. ygdisc. *Rachichthys toxotes* 2 (210-230) sm 4 kg Ad. in
Kept 2 (159-300) small schools - 3-2048 *Hypsypops* Ad., 1 yr, 2 yr, 2 mm*Chromis punctipinnis* Ad. very Num*Acanthurus* Common50 *Pomatomus* yellow moderate Bleeding
margin*Heterostichus rostratus* common on 2451 *Girella nigricans* Adults Num*Medialuna californica* Adults Num53 *Scorpaena guttata* 2 Ad59 *Lythrypnus latifasciatus* Ad. very Numin areas clear
of algae

60 Caulolatilus princeps Sew Hg. 11

61 Heterostichus 2 Ad

Alloclinus holderi Sew Ad ○

Collected in 1 gal Jar

47 Brachyistius

Embiotoca

Rachochilus

48 Azuvinia

2 Ad
3 3/4, 4
6 Ad
6", 6", 6", 6", 5 1/2, 5 1/2
4 Ad
9", 10 1/2", 10 1/2", 6 3/4
2 Ad