

State or Country: Field No. ET(B)-H-58
 County: Map: 1
 Locality: Eastern Pacific Ocean; SW Galapagos Is;
 near hydro. sta. ET-H-60
 Lat. 2° 00' S to 2° 03' S Long. 90° 33' to 90° 54' W.
 Water:
 Vegetation:

Bottom:
 Cover: Temp.: H₂O = 19.5°C
 Shore: Current:
 Dist. offshore: Stream width: (= 3.192 = 3.217 m.)
 Depth of capture: 0-925 fms. Depth of water: 174.5-1770 fms.
 Collected by H. Ebeling, J. Knauss "Horizon" 29
 Tide: Date: 28 Nov 1955
 Method of capture: 10' Isaacs-Kidd midwater trawl
 Orig. preserv.: 10% Formalin Time: 2020-0145

Fairly good catch. One celomipid in haul -
 the first I've ever seen. Laysan ~~the~~ longhorn as well
 as smaller black specimens, a couple hermit crabs,
 some small stomatopoda, cyclothone etc. Also
 unusually large number of euphausiids in
 coll. large squid, large red shrimp, jellyfishes,
 pteropoda etc. rounded out invertebrate coll.
 in 1 gal & 2 qt. jars.

A.W. Sheling 29 Nov 55

64 *Citharichthys* sp. 4(10.5-11.5)

10 *Cyclothone pseudopallida* 1(38)

Over for spp. list 2

8. (Alepocephalidae) 1Yg(29)
 9. Bathylagus ^{nigri-genus} ~~mesethi~~ Bolin 7PL-Yg(18-22)

To USNM
IX:16:57

10. Argyropelecus ^{pacificus} ~~affinis~~ Garm. 9PL-Ad(8-69)
A. lychnus Garm. 16PL-Ad(7-46)

- 10A Borostomias ^{elucens} ~~panamensis~~ Regan and Trewavas 1(50)

Chauliodus barbatus Garm. 3(59-77)

- 10 Cyclothone acclinidens Garm. 460Yg-Ad(13-44)

To CNHM
IX:16:57

C. microdon (Günther) 18HG-Ad(33-56)

- 10 C. pallida Brauer ~~1Ad(47)~~ 2(44-46)

- 10 C. signata Garm. 34Yg-Ad(17-41)

- 10 Ichthyococcus irregularis Rehnitz and Böhle ~~MS~~ Paratype 1Ad(31.5)

Malacosteus danae Regan and Trewavas 1Ad(98)

Sternoptyx obscura Garm. 28Yg-Ad(8-35)

- 10 Vinciguerrria lucetia (Garm.) 17Yg-Ad(16-35)

To R. Harry
IX:5:1958

25. Cetomimus _____ 1(134)

- 25 Diogenichthys lateratus (Garm.) 7Yg-Ad(15-27)

- 25 Gonichthys tenuiculus Garm. 1PL(14)
 (Iniomi) 3PL(14-17)

Lampanyctus idostigma Parr 1HG(43)

- 25 L. mexicanus (Gilbert) 4Yg-Ad(24-65)
Triphoturus oculus
 Cont. next page

25D Lampanyctus omostigma Gilbert 3Yg-Ad(21-53)25E Loweina? post larvae 1(200)
(Myctophidae) 5PL(8-21)25(A) (Paralepididae)^{OK} 3 immure * [10Yg(30-38)]
25B1 Scopelosaurus 1 yg. * } -3 are PARA:
25B2 Scopelosaurus 6 yg. * } hubbsi (31-36)
7(28-36)26. leptocephalus eel larvae ~~2(118-104)~~26A leptocephalus ~~cinereus~~ (= Rhynchocentrus) 1
Gnathophis catalinensis 1(112)Serrivomer sector Garm. 2Hg-Ad(110-390)26 Ariosoma gilberti 1(172)26 Gorgasia obtusa (lepto) 2(118-164)31. Scopeloberyx robustus 4Yg(14-37)
~~Melamphaes~~31D Scopelopadus mizolepis
M. bispinosus (Gilbert) 2HG-Ad(49-61)31A Poromitra crassiceps →
M. eristiceps Gilbert 2Yg-Ad(49-105)31B Poromitra
M. megalops (Lutken) 1Ad(42)^{40.5}Melamphaes laevis
M. microps Günther 1Yg(37)31 Scopeloberyx
N. opisthopterus (Parr) 2(20-25)31C Poromitra oscitans →
Melamphaes sp. nov.? 2Yg-HG(29-44)
29-44
21-4560A Chiasmodon subniger Garm. 1(29)Ident: Norman, 1929. Skin heart with
minute prickles. AWS XI:5:57

Cont. next page

*N116:1959 checked by P. B. Marshall at S.I.O. 167 5/11/59
specimens of Scopelosaurus loaned to him by S.I.O.

56. (Liparidae)

1(7)

~~64. A. Sitherichthys~~

~~4PL(10.5-22.5)~~

Unident.

3PL

A. W. Chelley XI:26:57