

State or Country: México Field No. 510 57-76

County: _____ Map: 1

Locality: off Salina Cruz, in Golfo de Tehuantepec

Lat. _____ N, Long. _____ W.

Water: _____

Vegetation: _____

Bottom: _____

Cover: _____ Temp: _____

Shore: _____ Current: _____

Dist. offshore: about 2 miles Stream width: _____

Depth of capture: _____ Depth of water: _____

Collected by Richard Tomlinson on "Southern Pacific"

Date: about 11.4.1957

Method of capture: bait-net

Orig. preserv.: frozen, then 10% Time: day

buffered formalin

First written 11.29.57

on 11.26.57 Rewritten MAY 14 1957

Specimens were brought in by George T. Wernham of La Jolla who got specimens for casting and gave me erroneous data from memory. He said this lot was from shore to shore of Baja California, and contained only the *Kyphosus* (which belongs in 510 57-75), and had two other species in this collection (76) as from the east (75). I reported on the collection 11.30.1957 in letter to Wernham (copied to Felleck and Wernham), with wrong data. A few days later I got the data, as given above, from Mr. Tomlinson.

8. Cetergaulis mysticetus (Günther): net was set capturing bait for of this species ("anchoreta").

25. Synodus scutelliceps Jordan & Gilbert: 1 ad. 178 mm. (fresh). Identified by Norman (1935:103). Counts taken.

35. Pseudopriacanthus serrula Gilbert: 1 hb. gr., 72 mm. (fresh). Counts taken.

Color description over -

(over)

General color red, with very indistinct
broad dusky crossbars (now faint); eye
silvery red; D_2 & A_2 barred dusky red
and pink (the pink becoming golden at
posterior edge of fin); C. peduncle with a
cream crossbar; C. fin barred red and
greenish, with the greenest and widest
light bar just before the black posterior
margin of the fin.

Sail L. Hubbs.