


State or Country: Mexico Golfo de Calif. Field No. SI059-225
 County: Baja Calif Sur Map: HO 0621, 1
 Locality: About 1/3 mi S. of Punta Pescadero, S of Fishermans camp.
 Lat. 23° 45' N., Long. 109° 40' W.
 Water: Moderately clear, vis. ~ 15'-20'
 Vegetation: Sparsely, some Padina

Bottom: Rock reefs, large rocks, cobbles, gravel + sand
 Cover: _____ Temp: _____
 Shore: Sand + large rocks Current: _____
 Dist. offshore: To 100' Stream width: _____
 Depth of capture: 0-15' Depth of water: 0-15'
 Collected by: R. Rosenblatt, R. J. Krejsa, James Stewart.
 Tide: Outgoing to incoming Date: 28 Mar. 59
 Method of capture: Rotenone, diving & dip-nets
 Orig. preserv.: 10% Form. Time: 1300-1715
Herring hemche R.R.



- 48 *Stegastes flavilatus* 11 (11-64) R.J.K. Apr. 59
- 59A *Bathypobius ramosus* 5 (38-68)
- 60A *Arcas erythropus* 91 (7-45)
- 52A *Cirrhites rivulatus* 15 (37-77)
- 61A ~~*Ruvula siagens*~~ 11 (30.5-69)
- 61B *Axoclinus walkeri* 126 (13.5-42.5)
- 26A *Uropterygius necturus* 18 (76-294) *Macrocephalus*
- 33A *Epinephelus labriformis* 22 (32-80.5)
- 33A *Prionurus punctatus* 1 (59.5)
- 31A *Myripristis occidentalis* 7 (57.5-70)
- 60B *Tamnicodon zebra* 96 (9-46.5)
- 61C *Malacoctenus* sp. 1 (47)
- 34A *Sphaeroides lobatus* 1 (63.5)
- 60C *Gobiosox adustus* 85 (9.5-50)
- 65A *Antennarius sanguineus* 2 (20-31)
- ~~52B *Cirrhilabrus caudifasciatus* 30 (27-57.5)~~
- 61D *Axoclinus carminalis* 702 (11.5-29)
- 26B *Myrichthys tigrinus* 2 (114-132)

lagiotremus aequalis

5 to VINAM, MAZATLAN

44A	<i>Haemulon</i>	<i>sextasciatum</i>	2	(37-44)
52B	<i>Cirrhitichthys</i>	<i>oxycephalus</i>	30	(27-59.5)
60-D	<i>Tomicodon</i>	<i>eos eos</i>	6	(9.5-20)
61 E	<i>Malacoctenus</i>	<i>margaritae mexicanus</i>	8	(29.5-41.5)
* 61 F	<i>Paraclinus</i>	<i>mexicanus</i>	5	(39.5-52)
65 B	<i>Anteinatus</i>	<i>strigatus</i>	10	(12-26)
61 G	<i>Malacoctenus</i>	<i>zacae</i>	76	(22-48)
61 H	<i>Malacoctenus</i>	<i>hubbsi</i>	33	(22-57)
26 C	<i>Muraena</i>	<i>lentiginosa</i>	37	(41-370)
61 I	<i>Starksia</i>	<i>eremnobates</i>	5	(24-28)
61 J	<i>Enneanectes</i>	<i>ctericeps</i>	4	(16.5-22.5)
60 E	<i>Tomicodon</i>	<i>myersi</i>	69	(8-26.5)
61 K	<i>Blenniulus</i>	<i>brevipinnis</i>	30	(15.5-37.5)
61 L	<i>Parastathmonotus</i>	<i>sinuscalifornici</i>	1	(19)
60 F	<i>Tomicodon</i>	<i>böhlkei</i>	34	(8-45.5)
26 D	<i>Gymnothorax</i>	<i>panamensis</i>	21	(39-118)
26 E	<i>Echidna</i>	<i>nocturna</i>	6	(38-86.5)
26 F	<i>Gymnothorax</i>	<i>castaneus</i>	8	(58-86.5)
61 M	<i>Rupiscartes</i>	<i>steindachneri</i>	137	(41-105)
61 N	<i>Entomacrodus</i>	<i>chiostictus</i>	302	(18.5-61)
34 B	<i>Canthigaster</i>	<i>punctatissima</i>	201	(14-59.5)
48 A	<i>Abudefduf</i>	<i>troschelii</i>	94	(16-63)
50 A	<i>Thalassoma</i>	<i>lucasanum</i>	233	(12-92.5)
35 B	<i>Rypticus</i>	<i>bicolor</i>	7	(37.5-135.5)
61 O	<i>Malacoctenus</i>	<i>zonifer(?)</i>	1	(54)
61 P	<i>Labrisomus</i>	<i>striatus</i>	3	(30.5-53)
35 BC	<i>Apogon</i>	<i>retrosella</i>	28	(13.5-66)
40 A	<i>Chaenomugil</i>	<i>proboscideus</i>	42	(27.5-53.5)
26 G	<i>Caecula</i>	<i>selackops</i>	4	(298.5-398)
61 Q	<i>Gibbonsia</i>	<i>elegans</i>		
(Gift to San Jose State Coll. via J.P. Harville)				
25 A	<i>Synodus</i>	<i>lacertinus</i>	4	(67-119)
23 A	<i>Belone</i>	<i>persimilis</i>	2	(368-380)
3 A	<i>Branchiostoma</i>	<i>n. sp.</i>	7	(11-18)
loaned to Webb II: 15:62				
██████████ <i>Atherinella</i> ██████████				
40 B	✓ <i>Eurystole</i>	<i>eriarcha</i>	large series (ca. 50)	
61 R	<i>Ogilbia</i>	<i>corallina</i>	9	(20-58)
23 B	<i>Hyporhamphus</i>	<i>unifasciatus</i>	2	(123-159)
██████████				
182 61 Q	<i>Acanthemblemaria</i>	<i>macrospilus</i>	large series	
61 S	<i>Ekemblemaria</i>	<i>myersi</i>	51	(16-58)
61 T	<i>Coralliozetus</i>	<i>rosefbatti</i>	95	(11-26)
61 U	<i>Coralliozetus</i>	<i>angelica</i>	70	(11-29)
61 V	<i>Acanthemblemaria</i>	<i>crockeri</i>	3	(24-27)
35 D	<i>Alphestes</i>	<i>galapagensis</i>	1	(68)
59 B	<i>Gobiosoma</i>	<i>histrion</i>	16	(14-20)

8 (21-54) exchange to Nielsen, Copenhagen.

- 50B *Hemipteronotus taeniourus* 1(30)
 61 *Starksia spiriperis* 5(24-28)
 60 *Dactylscopus pectoralis* 89(20-43.0)
 60 *Myxodagnus opercularis* 67(33-67) ^(rocks)
 60 *Dactylagnus mundus* 16(40-131.5)
~~57 *Fistularia commersonii* 2(214-337)~~
~~47 *Embiotoca jacksoni* 5(67-135)~~
 61 *Labrisomus xanti* 52(19-103)
 48 *Microspathodon dorsalis* 2(42-44)
 48 *Stegastes rectifraenum* 4(12.5-49)
 57 *Doryrhamphus melanopleura* 12(22-46.5)
 50 *Labridae gen. sp.* 1(192)
 50 *Halichoeres notospilus* 1(C+S)
 61 *Ogilbia nudiceps* PARATYPES 2(37-57)
 61 *Ogilbia sp.* 6(20-32)

* Gift to Aust. Mus., Sept. 1990

- 61 *Acanthenblemaria bestingsi* 266 (20-54) Paratypes
 (LACM 57208-1) - 10 removed for C+S
 (CAS 229775) - 10 gifted to Field Museum
 (FMNH 119163) - 10 gifted to L.A. EM.
 - 10 gifted to Cal Academy
- 61 *Acanthenblemaria sp.* 6(-)