

K59-22

State or Country: Mexico Field No. ST059-228
 County: Sonora Map: _____, 1
 Locality: Isla San Ignacio de Farallon, 3/4
mi. W. of Topolobampo Harbor, S. side of
island Lat _____ N., Long. _____ W.
 Water: Rel. clear, vis 2-15'
 Vegetation: Much red & green algae.
 Bottom: Lava rocks, large cobbles + ^{very} coarse gravel
 Cover: _____ Temp: 73°F Surf.
 Shore: Sheer lava walls Current: Strong.
 Dist. offshore: 200' Stream width: _____
 Depth of capture: 15'-30' Depth of water: 15'-30'
 Collected by R. Rosenblatt, P. Krajsa, C. Himbaugh
 Tide: _____ Date: 1 April 1959
 Method of capture: Rotenone, diving + dip-nets.
 Orig. preserv.: 10% Form. Time: 1130-1400

35A	<i>Epinephelus labriformis</i>	5(35-290)
61A	<i>Axoclinus carminalis</i>	137(15-26.5)
48	<i>Microspathodon dorsalis</i>	1(49)
50A	<i>Thalassoma lucasanum</i>	47(12-68)
48	<i>Stegastes flavilatus</i>	4(64-75)
48A	<i>Chromis atrilobata</i>	78(21-91)
48	<i>Stegastes acapulcensis</i>	2(14-75)
26A	<i>Muraena lentiginosa</i>	3(92-275)
48	<i>Stegastes rectifraenum</i>	7(32-76)
59A	<i>Coryphopterus urospilus</i>	1(27.5)
57A	<i>Doryrhamphus ^{melanopleura} californiensis</i>	3(40-42.5)
52A	<i>Cirrhites rivulatus</i>	2(55-71.5)
61B	<i>Entomacrodus chiostictus</i>	9(31.5-38)
34A	<i>Canthigaster punctatissima</i>	1(49)
61C	<i>Labrisomus xanti</i>	2(13.5-106)
61D	<i>Ernleanectes sexmaculatus</i>	1(21)
61E	<i>Ogilbia ventralis</i>	38(27.5-64)
32A	<i>Holacanthus passer</i>	1(51.5)
32B	<i>Heniochus nigrirostris</i>	1(123)
		(over)

61F	<i>Coralliozetus angelica</i>	5 (18.5-22.5)
59B	<i>Gobiosoma purticulatum</i>	8 (20.5-31)
53A	<i>Scorpaena plumieri mystes</i>	1 (42.5)
6A	<i>Urolophus concentricus</i>	1 (225) width
35B	<i>Mycteroperca pardalis</i>	1 (260)
61G	<i>Ophioblennius steindachneri</i>	12 (47-93)
59C	<i>Gobiosoma</i> sp. <i>Elacatinus limbaughi</i>	3 (19-24)
60A	<i>Tomicodon myersi</i>	17 (16.3-24.5)
61H	<i>Rurula azalea</i>	1 (36.5)
61I	<i>Malacoctenus hubbsi hubbsi</i>	2 (52)
62B	<i>Cirrhitichthys oxyccephalus oxyccephalus</i>	2 (47-49.5)
61J	<i>Acanthemblemaria macrospilus</i>	121 (14.5-46) ⁴⁴⁴
61K	<i>Coralliozetus boetikei</i> <small>misidentified put with 61L</small>	1 (20)
58C	<i>Paranthias colonus</i>	2 (73.5-78)
6B	<i>Echidna nocturna</i>	1 (300)
5D	<i>Rypticus bicolor</i>	2 (27.5-73.5)
61L	<i>Acanthemblemaria balanorum</i>	5 (20-27.5)
55A	<i>Antennatus strigatus</i>	1 (19.5)
61M	<i>Labrisomus striatus</i>	2 (40.5-61)
61N	<i>Brachyopoma</i> <i>spiniperis</i>	4 (16-27)
60B	<i>Arcos erythrops</i>	1 (19.5)
60C	<i>Gobiesox adustus</i>	23 (17.5-33)
68A	<i>Sardinops caerulea</i>	15 (24-30)
50B	<i>Halichoeres hubbsi chierchiae</i>	4 (73-114)
35E	<i>Apogon retrosella</i>	4 (185-70)

SDO 89-228 (cont'd)

State or Country: Field No.

County: Map: 1.

Locality:

..... Lat. N., Long. W.

Water:

Vegetation:

Bottom:

Cover: Temp.:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: Depth of water:

Collected by

Tide: Date:

Method of capture:

Orig. preserv.: Time:

61 *Ogilbia ventralis* ⁹
~~10~~ (38-75)
[+ 4 gift to ZMUC]

61 *Ogilbia* sp. 2 (33-50)

61 *Acanthemblemaria hastingi* 106 (19.5-45) Paratypes
- 10 removed for CTS

61 *Acanthemblemaria* sp. 13 (-)