

State or Country: Field No. SIO 60-232

County: Map: 1

Locality: Eastcentral Equatorial Pacific Ocean
(NE. of Marquesas Islands)

Lat. 5° 01.9' S., Long. 135° 03' W.

Water: to 4° 58' S., 135° 36' W.

Vegetation: 04° 59.9' S, 135° 19.5' W

Bottom:

Cover: Temp.:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: 0-2750 meters Depth of water: 2500 fms

Collected by Tethys expedition - SIO

Tide: Date: 1 July 1960

Method of capture: 10 ft. midwater trawl

Orig. preserv.: 10% form Time: 0555-1440

Tethys sta #13

- 10A Leptostomias sp. nov. 1(56.1)
- 60 Kali macrurus 1(111)
- 10B Bathophilus nigerrimus 1(80)
- 60 Chiasmodon niger 1(102)
- 30A Bathyleptus sp. 1(183)
- 10 Aristostomias xenostoma 1(38) 39.6
- 10c Sternoptyx diaphana 44 (7.7-) + 1 large head
- 10D Argyropelecus pacificus 3 (18.3-354)
- 25 Aethoprora problematica 1(52.0)
- 10E Argyropelecus intermedius 2 (16.6-18.5)
- 10F Gavlostoma atlanticum 2 (48-50.4)
- 25A Ceratoscopelus ~~fuscus~~ ^{westmilleri} 14 (19-63.5)
- Paratypes 25B Lampanycetus hubbsi 7 (32-56)
- 10G Chauliopus ~~storeri~~ barbatus 1 (101.8)
- 25C Ditropichthys storeri 1(50)
- 25D Hypophuttia branneri proximumi 1(42.2)
- 25E Scopelengys tristis 1(167.5)
- 26A Cyema atrum 2(112+-138)
- 31A Melamphaes acanthomus 1(16.5)
- 31B Poromitra oscitans: PARATYPES: 3 (36-73)
- 31C Scopelogadus mizolepis bispinosus 3(23-36)
- 31D Poromitra crassiceps 2(98.1-155.2)
- 10H Virsiquettia kimbaria 2(21-26)
- 25 Notolychnus valdiviae 19 (17-21)
- 25 Lampanycetus steinbecki? 3(37-55)

| | | |
|----|---|----------------------------|
| 25 | <i>Diaphus</i> [redacted] <i>luetkeni</i> | 2(12-38) |
| 42 | <i>Brama</i> <i>dussumieri</i> | 1(14) |
| 25 | <i>Triphoturus</i> <i>nigrescens</i> | 2(29) |
| 25 | <i>Eurypharynx</i> <i>pelecanoides</i> | 1(455) |
| 10 | <i>Cyclothone</i> <i>alba</i> | 2([redacted]) |
| 31 | <i>Scopeloberyx</i> <i>robustus</i> | 2(29-30) |
| 31 | <i>Scopeloberyx</i> <i>opisthopterus</i> | 2(25-27) |
| 65 | <i>Gigantactis</i> sp. group III | 1(16) |
| 25 | <i>Nannobrachium</i> <i>crypticum</i> | 1(37) |
| 25 | <i>Symbolophorus</i> <i>evermanni</i> | 3(33-52) |
| 25 | <i>Symbolophorus</i> sp. Myctophidae (larva) | 4(15-19) G. Pt to G. Moser |
| 25 | <i>Lampadena</i> sp. | 1(50) |
| 25 | <i>Diaphus</i> <i>problematicus</i> | 1(15) |
| 25 | <i>Diaphus</i> <i>jenseni</i> | 1(40) |
| 62 | <i>Bregmaceros</i> <i>japonicus</i> | 1(52) |
| 25 | <i>Magnisudis</i> <i>atlantica</i> | 1(62.5) |
| 10 | <i>Cyclothone</i> <i>pseudopallida</i> | 11(27-40) |
| 10 | <i>Cyclothone</i> <i>signata</i> | 16(17-26) |
| 10 | <i>Cyclothone</i> <i>pallida</i> | 90(17-65) |