

State or Country: Field No. SI 060-235

County: Map: 1

Locality: East central Equatorial Pacific Ocean

Lat. 0° 08' 5" S, Long. 138° 50' 9" W

Water: 0° 03' S, 139° 25' 1" W

Vegetation: center: 05° 05.8' S, 139° 08.0' W

Bottom:

Cover: Temp.:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: 0-2100 meters Depth of water: 2300 fms

Collected by Tethys expedition - SIO

Tide: Date: 3-4 July 1960

Method of capture: 10 ft. midwater trawl

Orig. preserv.: 10% form Time: 1848-0310

Tethys sta # 15

10 Dolichopteryx sp. 1(45)

10A Leptostomias sp. 1(50.3)

31B Poremitra crassiceps 1(88)

10B Porostomias panamensis lucens 1(331)

31C Poremitra oscitans 3(31-36)

30A Bathyleptus sp. 3(67-80)

9 Bathylagus nigrigenys 2(41-45)

65A Lophodolus eirenia indicus 1(85)

25 Symbolophorus n.sp. (short gland) 3(39-57)

65B Linophryne sp. 3(12-17)

25 Lepidophanes longipes 1(39)

65C Dolopichthys longicornis? 1(12)

65 Leptacanthichthys gracilispinus 1(13)

10C Astronesthes indicus 1(74.7)

60 Pseudoscopelus scriptus ^{altipinnis} 1(117.8)

10D Sternoptyx diaphana 2(7.9-12.0)

26A Cyema atrum 1(94+)

10E Argyropelecus lynchus lynchus 1(24.9)

10F Argyropelecus pacificus 2(17.3-22.5)

25A Symbolophorus evermanni 1(16)

25B Diagenichthys atlanticus 5(11.20)

25C Diagenichthys sp. 1(+)

25D Ceratoscopelus ~~torresianus~~ ^{warmingi} 3(31.7-52)

25E Lampanyctus hubbsi 5(36-76)

25F Lampanyctus omostigma 1(35)

10G Danaphos aculatus 2(26.6-31.6)

25H Hygophum ~~brakeri~~ ^{proximum} 3(23.7-41)

Field Data Sheet: Fish-57-9, '59 (A5450)

proximum (see over)

Paratypes

25	Diaphus termophilus	3 (18-41)
25	Lepidophanes photothorex	1 (21)
104	Gonostoma elongatum	8 (36-215.0)
25	Lampanyctus sp.	3 (25-31)
31A	berycoid (28)	
	Metastomus (juvenile)	1 (40)
	Gift to G. Moser, NMFS-La Jolla	
25	Revised Myctophidae (unident. larvae)	2 (11-17)
10I	Chauliodus slozari	4 (28-40)
25	Diaphus anderseni	1 (10)
10J	Virricuerria nimbaria	42 (14-33.5)
10K	Gonostoma atlanticum	1 (29.5)
25	Triptoturus nigrescens	14 (16-37)
25	Triptoturus nigrescens	1 (37)
25	Nannobranchium crypticum	13 (20-85)
25	Lampanyctus niger	4 (37-41) - 6 (31-41)
25	Lampanyctus steinbecki?	4 (37-41)
25	Lepidophanes pyrobolus	2 (21-39)
25	Lepidophanes blacki	2 (21-28)
25	Diaphus fulgens	1 (32)
25	Diaphus luetkeni	3 (19-29)
10	Cyclothone acclinidens 197 (17-38)	2 (380-504)
25	Eurypharynx pelecanooides	2 (96.5-134.5)
10	Malacosteus niger	2 (96.5-134.5)
8	Holtbyrnia ^{sp.} metaocephala	1 (30)
8	Pellisotus facilis	1 (49) - 48
8	Platyroctes apus	3 (27-43)
42	Amarsipus carlsbergi	1 (29.5)
		PARATYPE
25	Bolinichthys blacki	1 (27.5)
10	Cyclothone alba	4 (17-19) 32
31	Scopeloberyx robustus	23 (11-27)
25	Evermannella ahlstromi	3 (38-64) Paratypes
25	Anotopterus pharao	1 (41)
26	Nemichthys scolopaceus	1 (500)
10	Cyclothone obscura	85 (11-57)
25	Nannobranchium hawaiiense	1 (60)
25	Diaphus splendidus	1 (57.5)
25	Diaphus signata	3 (15-52)
25	Diaphus jenseni	2 (24-36)
25	Diaphus fragilis	4 (48-67)
25	Diaphus elucens	1 (15.0)

State or Country: Field No.
 County: Map:, 1.
 Locality:
 Lat. N., Long. W.
 Water:
 Vegetation:
 Bottom:
 Cover: Temp.:
 Shore: Current:
 Dist. offshore: Stream width:
 Depth of capture: Depth of water:
 Collected by
 Tide: Date:
 Method of capture:
 Orig. preserv.: Time:

- 26 *Serrivomer jespersenii* 8(196-290)
- 25 *Stemonosudis macrurus* 1(51)
- 30 *Gigantura* sp. 1(~50)
- 10 *Cyclothone pseudopallida* 8(10-37)
- 10 *Cyclothone signata* 40(~~13~~-29)
- 10 *Cyclothone pallida* 24(17-58)