

State or Country: ..... Field No. SIO60-247

County: ..... Map: 1

Locality: Eastcentral Equatorial Pacific Ocean  
(SE. of Hawaiian Islands)

Lat. 14° 41.8' N., Long. 151° 19.2' W.

Water: to 15° 04.0' N., 151° 54' W.

Vegetation: .....

Bottom: .....

Cover: ..... Temp.: .....

Shore: ..... Current: .....

Dist. offshore: ..... Stream width: .....

Depth of capture: 0-200 meters Depth of water: ca 3000 fms

Collected by Tethys expedition - SIO

Tide: ..... Date: 11 July 1960

Method of capture: 10 ft midwater trawl

Orig. preserv.: 10% form Time: 0645 - 1516

Tethys sta # 21

- 10A *Eustomias acinosus* 1(90)
- 10B *Sternoptyx diaphana* 16 (8-39.4)
- 10C *Araupoleleus intermedius* 1(19)
- 10D *Araupoleleus pacificus* 1(74.6) LS
- 25A *Symbolophorus evermanni* 11 ~~2~~ (9.5-14.2)
- 25B *Ceratosphepus* sp. cf. *townsendi* 4(16-16.8)
- 25C *Ceratosphepus townsendi* 13 (25-60)
- 25D *Lampanyctus omostigma* 1(36)
- 10E *Chauliodus barbatus* 1(104.6)

---

- 25F *Taaringichthys bathyphilus* 1(57.4)
- 25G *Taaringichthys bathyphilus?* 1(ca 25)
- 10F *Diplophos* <sup>taenia</sup> ~~taenia~~ *orientalis* 1(95.1)
- 26A *Cyema atrum* 3(113-120)
- 25H *Vitiaziella cubiceps* 1(59)
- 31A *Melamphaes indicus* 1(36)
- 31B *Melamphaes simus* 12(18-26)
- 10G *Gonostoma ebelingi* 2(29-91)
- 10H *Vitriciguertia nitrobaria* 3(15.5-27.5)
- 25 ~~*Lepidophanes pyrsochelus*~~ 1(29)
- 25 ~~*Lampanyctus niger*~~ <sup>*Nannobranchium*</sup> ~~*bristari*~~ 1(47)
- 25 *Diaphus brachycephalus* 6(13-24)
- 25 *Aethoprora fulgens* 1(24)
- ~~60 *Dysalotus aleoeki*~~ 1(23)
- 60 *Pseudoscopelus scriptus* 1(23.5)
- 60 *Dysalotus oligoscolus* PARATYPE 1(231)

|    |                                   |  |
|----|-----------------------------------|--|
| 10 | <i>Cyclothone alba</i>            | 2 (20-24)                              |
| 31 | <i>Scopeloberyx opisthopterus</i> | 2 (29-32)                              |
| 31 | <i>Scopeloberyx robustus</i>      | 2 (27-45)                              |
| 25 | <i>Lampanyctus steinbecki</i>     | 3 (17-30)                              |
| 25 | <i>Evermannella ahlstromi</i>     | 1 (38) PARATYPE                        |
| 25 | <i>Lampanyctus nobilis</i>        | 3 (23-37)                              |
| 25 | <i>Lepidophanes longipes</i>      | 1 (29)                                 |
| 10 | <i>Cyclothone obscura</i>         | 1 (52)                                 |
| 62 | <i>Bregmaceros japonicus</i>      | 2 (48-56)                              |
| 26 | <i>Serrivomer sector</i>          | 18 ( <del>18</del> <sup>27</sup> -378) |
| 10 | <i>Cyclothone pseudopallida</i>   | 10 (27-35)                             |
| 16 | <i>Cyclothone signata</i>         | 25 (18-30)                             |
| 10 | <i>Cyclothone pallida</i>         | 50 (12-51)                             |