

State or Country:

Field No. 51061-578

County:

Map:

, 1

Locality:

South China Sea

Lat. 13°27'18" N, Long. 113°36'00"E.

Water:

.3

Vegetation:

Bottom:

Cover:

Temp.:

Shore:

Current:

Dist. offshore:

Stream width:

Depth of capture:

800 m.w.o.

Depth of water:

4316-4325 m.

Collected by

Bolin & Matsui

Tide:

Date:

1 Mar. 1960

Method of capture:

2-meter stramin net

Orig. preserv.:

Time:

2020-2140

Scripps NACA

Sta. 60-X

226

GVF 60-71

S-4-207

10A Cyclothone pallida

3(26.5-46)

10 Idiacanthus fasciola

4(61-135)

10B Cyclothone alba

2(19-25)

25 Benthosema suborbitale

349 (es 12.0)

~~25 Lampanycetus niger~~~~2(73-78)~~

25 Symbolophorus sp. evermanni

1(20)

25 Scopelarchus analis

1(17.0)

25 Scopelarchoides danae PARATYPE

2(10.5-65.2)

25 Lampanycetus basili

2(19-23)

10 Diplophos taenia

1(22+)

25 Scopelarchoides danae PARATYPE

1(65.2)

25 Lampanycetus turneri

2(19-23)

25 Nannobranchium nigrum

2(73-78)

25 Hypophium sp. proximum

1(13)

25 Ceratoscopelus townsendi warmingi

4(19-40)

Bdichthys

25 Leptodermes longipes

2(18-22)

10 Polyipnus fraseri

1(12)

25 Triphoturus nigrescens

4(15)

25 Diaphus megalops

3(11-24)

25 Diaphus diadematus

2(14)

25 Diaphus trachops

1(13)

(over)

10	<i>Gonostoma atlanticum</i>	1(29)
10	<i>Valenciennellus tripunctulatus</i>	1(14)
10	<i>Vinciguerria nimbaria</i>	9 8 (11.5-21)
65	Chaunacidae	3(8-10)
26	Synaphobranchidae (lepto.)	1(39)
26	Ophichthidae (lepto.)	4(40-63)
26	Congridae (lepto.)	5(46-61)
26	Synaphobranchidae (lepto.)	10(28-32)