

SIO 64-65

State or Country: BATA CALIFORNIA, MEX Field No. MAG BAY B-26
 County: _____ Map: HO # 1493, 1945
 Locality: PTA PEQUEÑA, BAHIA SAN JUANICO
 Lat. 26° 13.8' N., Long. 112° 28.6' W.
 Water: _____
 Vegetation: Seel grass + other algae
 Bottom: Rock outcrop surrounded by sand
 Cover: _____ Temp.: ST = BT = 62.00°F
 Shore: _____ Current: _____
 Dist. offshore: 15 yards Stream width: _____
 Depth of capture: 5-12 feet Depth of water: 12 feet
 Collected by MAG BAY "B" B.N. Kobayashi & party
 Tide: _____ Date: 8 FEB 1964
 Method of capture: CHEM-FISH POISONING
 Orig. preserv.: 10% FORMALIN Time: 1510-1648 hours

Area poisoned was a rocky dike leading out from shore into a sandy bottom. The rocky dike was up to 5-7 feet high and 5-10 feet wide. There were scattered rocks in the sand area around the dike.

45A	<i>Calamus brachysomus</i>	1 (263) tank
35A	<i>Paralabrax maculatofasciatus</i>	2 (156-171)
35B	<i>Paralabrax nebulifer</i>	6 (44-310)
61A	<i>Hypsoblennius</i>	23 (15.5-71)
44A	<i>Anisotremus davidsonii</i>	1 (242)
44B	<i>Xenistius californiensis</i>	1 (63)
44C	<i>Anisotremus interruptus</i>	2 (40-44)
61	<i>Paraclirus integripinnis</i>	5 (20.5-36)
61	<i>Paraclirus sirus</i>	5 (24.5-29.5)
61	<i>Rurula azalea</i>	3 (33-38)
61	<i>Hypsoblennius jenkinsi</i>	23 (15.5-71)
60	<i>Rimicola eigeftmanni</i>	2 (21-27)
60	<i>Rimicola</i> sp.	1 (15)
61	<i>Gibbonsia elegans</i>	1 (85)
61	<i>Labrisomus wigginsi</i>	5 (32.4-92.6)
60	<i>Dactyloscopus byersi heraldi</i>	1 (32)
PARATYPE		
50	<i>Pseudojulis notospilus</i>	1 (55.5)
53	<i>Scorpaena plumieri</i>	6 (157-251)
46	<i>Umbrina roncador</i>	2 (218-223)
60	<i>Gobiesox papillifer</i>	1 (42)
46	<i>Cheilothema saturnum</i>	1 (250)

Note: Reticula bright green color -

↳ Diplobatis ommata

2(141-152)