

State or Country: Mexico, B.C. Sur Field No. SI065-302
 County: GULF OF CALIFORNIA Map: 1
 Locality: CARTIER Id, Salinas Bay, E. SIDE, NEAR POINT PERICO
 Lat. 25° 58.2' N, Long. 111° 05.3' W.
 Water: VISIBILITY ± 50 FT.
 Vegetation: SPARSE MICROALGAE ON ROCKS, SARGASSUM DRIFTING
 Bottom: SCATTERED LG. BOULDERS & ROCKS; SMALL ROCKS; PATCHES OF SAND (COARSE)
 Cover: _____ Temp.: 81° F. AT SURFACE
 Shore: ROCKY CLIFFS; SM. ROCK BEACH Current: SLIGHT SURGE INSHORE
 Dist. offshore: TO ± 75 FT. Stream width: _____
 Depth of capture: SHORE TO 20 FT. Depth of water: to 20 ft
 Collected by B.W. Walker & pty
 Tide: _____ Date: 13 July 1965
 Method of capture: NOXFISH; SKINDIVING & SCUBA
 Orig. preserv.: 10% FORMALIN Time: ~~1430~~ 1430-1630
RR65-48 1 cm

64	<i>Syacium n.sp.</i>	1(135)
61	<i>Starksia spiriperis</i>	5(27-32)
61	<i>Entomacrodus chiostictus</i>	12(36-51)
61	<i>Paraclirus sirus</i>	2(33-37)
58	<i>Chriolepis zebra</i>	1(23)
58	<i>Gymneleotris seminuda</i>	6(25-33)
59	<i>Coryphopterus urospilus</i>	2(35-42)
59	<i>Lythrypnus dalli</i>	1(19)
59	<i>Lythrypnus pulchellus</i>	1(22)
26	<i>Uropterygius necturus</i>	82(79-245)
50	<i>Bodianus diplotaenia</i>	1(65)
44	<i>Arisotremus interruptus</i>	5(38-47)
46	<i>Pareques viola</i>	29(46-75)
52	<i>Cirrhitus rivulatus</i>	3(56-118)
35	<i>Rypticus bicolor</i>	5(42-110)
35	<i>Mycteroperca rosacea</i>	9(50-75)
61	<i>Acanthremblemaria crockeri</i>	60(20-32)
61	<i>Acanthremblemaria macrospilus</i>	2(32-37)
61	<i>Coralliozetus argelica</i>	2(23-29)
61	<i>Coralliozetus microps</i>	2(21-22)
61	<i>Rurula azalea</i>	3(31-46)
35	<i>Petrometopon panamense</i>	2(125-133)
26	<i>Muraena lentiginosa</i>	34(82-386)
35	<i>Alphestes sp.</i>	2(100-103)
48	<i>Chromis atrilobata</i>	13(32-74)
35	<i>Epinephelus labriiformis</i>	26(31-275)
60	<i>Dactyloscopus pectoralis</i>	1(29.5)

- | | | | |
|----|------------------------------------|---------------------|---------------|
| 53 | <i>Scorpaena plumieri</i> | 9 | 175 |
| 34 | <i>Cantigaster punctatissimus</i> | ■ | (63.5 - ■) |
| 53 | <i>Scorpaenodes xyris</i> | 12 | (41.5 - 63) |
| 35 | <i>Pseudogramma thaumasium</i> | 23 | (27.6 - 72) |
| 32 | <i>Pomacanthus zonapectus</i> | 2 | (53 - 60) |
| 57 | <i>Doryrhamphus melanopleura</i> | 1 | (69.5) |
| 57 | <i>Bryx aretus</i> | 1 | (25) |
| 48 | <i>Abudefduf troschelii</i> | 6 | (23 - 69) |
| 61 | <i>Ophioblennius steindachneri</i> | lge series (47-114) | |
| 59 | <i>Elacatinus limbaughi</i> | 21 | (19 - 24) |
| 48 | <i>Stegastes rectifraenum</i> | 39 | (15 - 74) |
| 32 | <i>Holacanthus passer</i> | 2 | (# 140 - 145) |
| 61 | <i>Ogilbia</i> sp. | 7 | (27 - 55) |
| 35 | <i>Apogon retrosella</i> | 42 | (31 - 78) |