

State or Country: Mexico: Gulf of Calif. Field No. SIO65-319

County: Baja Calif. Sur Map: _____, 1

Locality: N of Pulpito Pt.

Lat. _____ N, Long. _____ W.

Water: _____

Vegetation: _____

Bottom: _____

Cover: _____ Temp.: _____

Shore: _____ Current: _____

Dist. offshore: _____ Stream width: _____

Depth of capture: _____ Depth of water: 15-25 ft

Collected by R. Rosenblatt & ply

Tide: _____ Date: 16 July 1965

Method of capture: chumfish & SCUBA

Orig. preserv.: _____ Time: 1630-1830

RR65-65 2 cans

50A *Scarus californiensis* → globbar → 1 (415) tank
59A *Gobiosoma* sp. 28 (22-27)
59B *Lythrypnus dalli* 177 (8-29)
25A *Synodus lacertinus* 13 (46-66)
59C *Gobiosoma punctulatum* 24 (21-30)
58A *Chriolepis zebra* 3 (22-30)
59D *Coryphopterus urosphilus* 79 (29-42)
6A *Diplobatis ommata* 2 (188-227)
8A *Sardinops caerulea* 1 (27-80)
61A *Chaenopsis alepidota* 12 (37-66)
57A *Doryrhamphus melanopleura* 3 (15-57)
35A *Serranus fasciatus* 4 (58-73)
53A *Scorpaena mystes* 3 (22-82)
57B *Syngnathus arctus* 2 (69-76)
26A *Muraena lentiginosa* 1 (425)
61B *Runula azalea* 20 (33-74)
26B *Myrichthys tigrinus* 5 (121-217)
35B *Paranthias colonus* 9 (39-114)
35C *Paralabrax auroguttatus* 15 (52-65)
35D *Alphestes galapagensis* 7 (30-130)
52A *Cirrhilichthys oxycephalus* 10 (27-70)
61C *Ophioblennius steindachneri* 5 (41-54)
65A *Antennarius sanguineus* 1 (60)
46A *Pareques viola* 8 (39-61)
35E *Apogon retrosella* 11 (12-76)
48A *Chromis atrilobata* 67 (35-85)
34A *Canthigaster punctatissima* 4 (57-73)


- 1192
- | | | |
|---|---|------------------------|
| +35F | <i>Pseudogramma thaumasium</i> | 2(62-80) |
| 32A | <i>Holacanthus passer</i> | 2(123-137) |
| 32B | <i>Heniochus nigrirostris</i> | 6(123-143) |
| 35G | <i>Petrometopon panamense</i> | 5(155-174) |
| 35H | <i>Rypticus bicolor</i> | 30(71-136) |
| 48B | <i>Pomacentrus rectifraenum</i> | 146(12.5-91) |
| 53 B | <i>Scorpaenodes xyris</i> | large series |
| [REDACTED] | | |
| 61 D | <i>Parastathmonotus sinuscalifornici</i> | 2(26-29.5) |
| 26 C | <i>Phaenomonas pinnata</i> | 1(338) |
| 61 E | <i>Exerpes asper</i> | 21(19-37.5) |
| 35 J | <i>Epinephelus labriformis</i> | 2(33-241) |
| 59 E | <i>Barbulifer pantherinum</i> | 12(16-30) |
| 59 F | <i>Lythrypnus pulchellus</i> | 41(7-23) |
| 26 | <i>Gymnothorax paramiensis</i> | 26(90-264)* |
| 26 | <i>Erechelycore octavianus</i> | 1(380) |
| 26 | <i>Caecuta selachops</i> | 3(248.5-339) |
| 35 | <i>Mycteroperca rosacea</i> | 81(39.5-80.5) |
| 50 | <i>Thalassoma lucasanum</i> | 11(45-77.6) |
| 50 | <i>Nicholsina denticulata</i> | 24(28.5-147) |
| 50 | <i>Bodianus diplotaenia</i> | 11(54.5-144) |
| 35 | <i>Mycteroperca prionura</i> PARATYPES | 5(35-67.5) |
| 61 | <i>Paraclirus sirius</i> | 39(10-42) |
| 59 | <i>Lythrypnus dalli</i> 2(18-21) Gift to L.A.C.M. 11:66 | 1(34.5) |
| 61 | <i>Hypsoblennius gentilis</i> | 2(30.5-39) |
| +61 | <i>Starksia spiriferis</i> | 67(29-40.5) |
| 61 | <i>Starksia crenirobates</i> | 5(28-31.5) |
| 61 | <i>Proteroblemaria lucasana</i> | 1(55) |
| 61 | <i>Ekeroblemaria myersi</i> | 115(18-39) |
| 61 | <i>Acanthoblemaria crockeri</i> | 67(29-41) |
| 61 | <i>Xerommedea rhodopyga</i> PARATYPES | 30(10.0-38.0) + (40+S) |
| 60 | <i>Dactyloscopus pectoralis</i> | 1(65) |
| 61 | <i>Ophidion iris</i> | 1(70) |
| 8 | <i>Etrumeus teres</i> | |
| 61 | <i>Ogilbia</i> sp. | 5769(9-76) |
| * 2 spec. gift to L. Fishelson, 14 Sept 2011 | | |
| * 2(175-195), Gift to E. Tortorese, 8/18/1972 | | |
| + Gift to Austr. Mus., 9/13/1990 | | |
| 61 | <i>Oligopus diagrammus</i> | 12(27-152) |

STO 65-319 (cont'd)

State or Country: Field No.
County: Map:, 1.
Locality:
..... Lat. N., Long. W.
Water:
Vegetation:
Bottom:
Cover: Temp.:
Shore: Current:
Dist. offshore: Stream width:
Depth of capture: Depth of water:
Collected by
Tide: Date:
Method of capture:
Orig. preserv.: Time:

61. *Ogilbia dawidsmithi* PARATYPE 4(60-69)

RR 65-65



Sargassum

Sand

25'
75° F

20'
75° F

Small rocks

Exposed
Pavement +