

State or Country: Mexico: Gulf of Calif ✓ Field No. ST065-325

County: Baja Calif Sur Map: _____, 1

Locality: Carmen Id., Lobos Pt.

Lat. 26°04.3' N., Long. 111°04.5' W.

Water: _____

Vegetation: _____

Bottom: _____

Cover: _____ Temp.: _____

Shore: _____ Current: _____

Dist. offshore: _____ Stream width: _____

Depth of capture: _____ Depth of water: 60-80 ft

Collected by R. Rosenblatt & party

Tide: _____ Date: 18 July 1965

Method of capture: chemfish + SCUBA

Orig. preserv.: _____ Time: 0930-1130


RR65-71 To UCLA W65-81

Herpetoichthys

- 25 *Synodus lacertinus* 221 (40-67)*
- 26 *Anarchias galapagensis* 3 (92-121)*
- 26 *Encheilycore octavianus* 1 (585)*
- 26 *Gymnothorax castaneus* 2 (495-700)*
- 26 *Gymnothorax* _____ panamensis 14 (84-215)*
- 26 *Muraena lentiginosa* 1 (440)*
- 31 *Myripristis leiognathos* 2 (92-93)*
- 35 *Apogon retfossella* 35 (8-84)*
- 35 *Paranthias colonus* 3 (32-827)*
- 35 *Rypticus bicolor* 26 (41-174)*
- 35 *Alphestes galapagensis* 4 (26-159)*
- 35 *Serranus fasciatus* 69 (14-85)*
- 48 *Chromis atrilobata* 3 (69-88)*
- 48 *Eupomacentrus tectistaenum* 12 (39-81)*
- 50 *Bodianus diplotaenia* 2 (109-153)*
- 50 *Nicholsina denticulata* 39 (36-78)*
- 32 *Heniochus nigritostis* 6 (98-116)*
- 32 *Holacanthus passet* 1 (108)*
- 52 *Citthitichthys oxycephalus* 1 (21)*
- 53 *Scorpaena plumieri mystes* 1 (227)*
- 53 *Scorpaenodes xyris* 49 (11-65)*
- 57 *Dorythamphus m. melanopleura* 5 (22-60)*
- 34 *Canthigaster punctatissima* 6 (47-60)*
- ** 26 *Pogonopsis fuscatus* 1 (150)
- ** 35 *Petrometopon panamensis* 6 (120-170)
- ** 48 *Chromis limbaughi* (MS) 45 (16-95)

** Gift to UCLA VIII '66
* gift to L.A. Co. Mus. July 1966

	PARATYPES
35 <i>Mycteroperca prionura</i>	2(43-46)
61 <i>Rurula azalea</i>	4(33-48)
57 <i>Syrnathus arcta</i>	6(55-71)
59 <i>Corypterus urosphilus</i> 7(31-34)] Gift to L.A.C.M. Sept. 1966
59 <i>Lythryprus dallis</i> 24(10-27)	
59 <i>Lythryprus pulchellus</i> 3(15-19)	
26 <i>Phaenomonas pinnata</i>	1(135)
26 <i>Gymnothorax paramensis</i>	3(98-155)
35 <i>Pseudogramma thrausium</i>	3(32-67)
35 <i>Paralabrax auroguttatus</i>	1(55)
61 <i>Aponema barbarae macrolepis</i>	206(30-49)
61 <i>Enneanectes clericeps</i>	8(20-40)
65 <i>Antennarius avaloris</i>	1(40)
65 <i>Antennarius sanguineus</i>	1(36)
26 <i>Taenioconger digueti</i>	1(266)
26 <i>Caecula selachops</i>	1(340)
61 <i>Xenomedeia rhodopyga</i>	PARATYPE 1(28)
59 <i>Gobulus crescentalis</i>	1(31)
60 <i>Opistognathus rhomaleus</i>	7(53.5-75)
60 <i>Opistognathus agonistes</i>	51(40-77)
60 <i>Opistognathus fossoris</i>	9(58-80.5)
61 <i>Acanthemblemaria crockeri</i>	64(17-38)
61 <i>Prothemblemaria lucasana</i>	4(15-29)
59 <i>Elacatinus limbaughi</i>	6(23.5-25.5)



RR 65-72

RR 65-71

ESH

slight current

79'f
30'

79'f
25'

1/4 mi approx

1/4 mi approx

Lobos Point

steep dropoff

70'f
76'f

50'f
76'f

moderate current

Cobble + sand

sand shells among boulders