

State or Country: Mexico: Gulf of Calif Field No. ST065-335

County: Baja Calif Sur Map: \_\_\_\_\_, 1

Locality: N of Mangles Pt.

Lat. 26° 19.2' N, Long. 111° 24.0' W.

Water: \_\_\_\_\_

Vegetation: \_\_\_\_\_

Bottom: \_\_\_\_\_

Cover: \_\_\_\_\_

Temp.: \_\_\_\_\_

Shore: \_\_\_\_\_

Current: \_\_\_\_\_

Dist. offshore: \_\_\_\_\_

Stream width: \_\_\_\_\_

Depth of capture: \_\_\_\_\_

Depth of water: 60-65 ft.

Collected by R. Rosenblatt + ptj

Tide: \_\_\_\_\_

Date: 20 July 1965

Method of capture: cherrifish + SCUBA

Orig. preserv.: \_\_\_\_\_

Time: 10:30-12:00

RR65-81

1 can

35A *Paralabrax auroguttatus* 20 (42.5-62)

35B *Serranus fasciatus* 107 (265-1035)

50A *Nicholsina denticulata* 45 (36-107)

60A *Opistognathus scops* 11 (20.5-37.5)

→ 35D *Mycteroperca rosacea* 17 (39-58)

45A *Calamus brachysomus* 21 (42-62)

32A *Pomacanthus zonipectus* 1 (72)

26A *Muraena lentiginosa* 4 (380-470)

35E *Rypticus bicolor* 1 (171)

35F *Alphistes galapagensis* 4 (24.5-211)

40A *Sphyræna lucasana* 33 (75-171)

53A *Scorpaena mystes* 2 (60-104)

61A *Rumula azalea* 10 (32+ - 56.5)

57A *Hippocampus ingens* 1 (87)

61B *Exerpes asper* 2 (31.5-33)

53B *Scorpaenodes xuris* 41 (11-49)

34A *Carthiagaster punctatissima* 2 (58-65)

Paratypes 59 58A *Chriolepis* n.sp. hoesei (MS) 3 (24-30)

35C *Mycteroperca prionura* 1 (36)

\* 61 *Paraclinus altivelis* 4 (45-47)

35 *Apogon retrosella* 2 (26-35.5)

59 *Lythtynus dalli* 4 (14-24)

26 *Phaeoatomus pinnata* 7 (118.5-272)

26 *Anarchias galapagensis* 23 (59-128)

57 *Bryx arctus* 6 (51-77.5)

\* gift to USNM 7 Feb 1967

(over)

returned:  
April 2011  
3 specimens  
gift to Mark  
Kyoto Univ.  
T. Yoshino 1965

*Xenistius californiensis*

- 44 ~~Lythraea Naviguttata~~ 2 (42-58.5)  
59 *Cryptopterus urospilus* 4 (32-37)  
26 *Quassireurus rothochir* → [REDACTED]  
26 *Gymnothorax paramensis* 12 (116-202)  
26 *Myrichthys tigrinus* 1 (146)  
58 *Gymneleotris seminuda* 11 (90-420)  
61 *Acarttheroblennaria crockeri* 1 (34)  
61 *Chaeropsis coheri* 1 (33)  
61 *Chaeropsis alepidota* 3 (33-53)  
61 *Chaeropsis alepidota* 24 (41.5-91)
- [REDACTED]
- [REDACTED]

- 34 *Sphaeroides lobatus* 1 (45)  
60 *Opistognathus rosenblatti* 16 (14.3-77.3)  
*Opistognathus rosenblatti* PARATYPES  
57 *Fistularia commersonii* 1 (117)  
60 *Opistognathus fossoris* 18 (20-65.5)  
*Opistognathus fossoris* PARATYPES  
60 *Gillellus semicinctus* 3 (17.5-19)  
61 *Ophidion iris* 64 (24-143)  
61 *Ogilbia* sp. 1 (36) ~~2 (25-64)~~  
61 *Ogilbia davidsmithi* PARATYPE 2 (60-63)  
61 *Ogilbia nigromarginata* PARATYPE 2 (25-63)

DISCARDED 6 July 1967

- 34 *Carthigaster punctatissima* (2)  
35 *Mycteroperca rosacea* (1) No. 12 in mouth  
35 *Rypticus bicolor* (2)  
35 *Serranus psittacurus* (4) Nos. 8, 30 in mouth  
36 *Paralabrax auroguttatus* (3) No. 13 in mouth  
48 *Pomacentrus rectifraenum* (3) Nos. 3, 4 in mouth  
50 *Nicholsira denticulata* (2) No. 7 in mouth  
50 *Halichoeres dispilus* (4) Nos. 92 or 26 in mouth  
53 *Scorpaerodes xyris* (3) No. 23 in mouth  
61 *Labrisomus xanti* (1)

RR65-81

(activity of divers readily stirred up clouds of sediment)

moderate current

Broken rock + shell on fine sand

fine, silty sand

note electrid n. sp. observed over this fine silty sand. Similarity of this habitat to that where specimens were taken previously (RR65-41) maybe significant.

ESH

