

State or Country: ^{México} off W coast of Baja California, Méx. Field No. = 51066-20
 County: _____ Map: ^{Topogr. Chart 13} 1964
 Locality: off E coast of Isla Guadalupe ^{H.O. 0623, V: 20: 1963}
 Lat. 29°08.0' to 29°49.1' N., Long. 117°58.0' to 117°06.3' W. ^{118°}
 Water: 28° 58.6' 117° 32.2'
 Vegetation: _____
 Bottom: _____
 Cover: _____ Surf Temp.: 15.75 → 15.50°C, Hermograp h
 Shore: _____ Current: _____
 Dist. offshore: 14-25 nautical miles Stream width: _____
 Depth of capture: est. - 0 fath. Depth of water: 1700-1980 fath, PDR
 Collected by Hubbs, Wisner, Storer, et al., on R/V Alexander Agassiz (510)
 Tide: _____ Date: 11-2-1966
 Method of capture: 10-ft Isaacs-Kidd midwater trawl, non-closing, meter net end
 Orig. preserv.: 10% buffered form. Time: 2125 to 0422, PST
 MV66-I-10

5000 mm. WO to surface

Invertebrates: 2 1-gallon jars
 1 4-oz. jar. plankton (washings strained through cod-end of meter-net)

Fishes: 1 2-gt. jar
 1 1-gt. jar - 2 species, to preserve flat
 1 4-oz. jar - very small fishes + 1 Chiasmodon

Carl L. Hubbs.

10	<i>Danaphos oculatus</i>	8(30-37.5)
25	<i>Electrona rissoi</i>	1(22.5)
25	<i>Lampanyctus niger</i>	3(22-76)
25	<i>Symbolophorus californiensis</i>	5(46-68)
25	<i>Taaningichthys bathyphilus</i>	1(92.5)
25	<i>Triphoturus mexicanus septentrionalis</i>	336(18-67)
35	<i>Howella n. sp. #1</i>	1(32)
60	<i>Chiasmodon niger</i>	1(55)
8	<i>Sagamichthys abei</i>	1(28.5)
62	<i>Melanonus</i>	1(141)
*26	<i>Nemichthys larseni</i>	1(610)
25	<i>Nannobrachium hawaiiense</i>	1(32)
10	<i>Borostomias panamensis</i>	1(196)
8	<i>Microrictus taaningi</i>	1(195)

* Gift To Zool. Mus. of Denmark

10	<i>Argyropelecus affinis</i>	4 (22-30)
10	<i>Argyropelecus hemigymnus</i>	1 (30)
10	<i>Argyropelecus lychnus</i>	1 (27)
10	<i>Stomias atriventer</i>	2 (118-143)
10	<i>Idiacanthus antrostomus</i>	1 (203)
25	<i>Taaningichthys paurolychnus</i>	1 (72.5)
25	<i>Nannobrachium nigrum</i>	2 (72-75)
10	<i>Vinciguerrria lucetia</i>	12 (20-39)
31	<i>Scopelogadus mizolepis bispinosus</i>	1 (43)
31	<i>Scopeloberyx robustus</i>	1 (51)
10	<i>Cyclothone acclinidens</i>	346 (23-57)
10	<i>Cyclothone atraria</i>	8 (39-52)
10	<i>Cyclothone signata</i>	41 (13-31)
9	<i>Bathylagus wesethi</i>	36 (19-70)
9	<i>Bathylagus stilbicus</i>	1 (37)
25	<i>Nannobrachium bristori</i>	2 (72-76)
	Paratypes	