

State or Country: Baja California (state), Mex. Field No. S10 66-536
County: Map: H.O. 5195 18:13, 1965
Locality: W coast, off Bahía Descanso,
to 32° 03.9' to 117° 12.1'
Lat. 31° 59.2' to 32° 11.3' N., Long. 117° 07.9' to 117° 21.2' W.
Water: oceanic
Vegetation:
Bottom: extremely even, mostly very gentle slope down-
Cover: ward toward NW. Temp.: ~~22.5-23.2 (surface)~~
Shore: rocky Current: (surface)
Dist. offshore: 12.7 to 16.8 naut. mi. Stream width:
Depth of capture: est. 0 - m. Depth of water: 568-756 fath (GDR)
Collected by Robt. L. Wisner, with Hubbs, Applegate, Storer, Dockins,
Fide: McConnaughey, Calhoun Date: XII:7-8, 1966
Method of capture: 10-ft. non-closing Deane-Kild midwater trawl*
Orig. preserv.: 10% form. Time: 2015 XII:7 to 0540XII:8

MV 66-III-6

*meter-net cod-end.

Turn around 0125 XII:8 c/c 135° T. Turned with
50 m WO at 32° 11.3' N., 117° 21.2' W.

Were paid out at 15 m/min to 2000 m WO
at 2255 hr; hauled in at same rate
starting at 2325 hr (held at 2000 m WO
for 30 min where depth of water was
708-722 fathoms). Held at 50 m WO at
turn. Then paid out at 15 m/min
to 0350 (2000 m WO), then promptly
started haul in at same rate.

Large catch, more than filled cod-end.

(+ 1.1 gal)
1 2-gal jar of invertebrates
3 1-gal jars of fish
1 8-gal jar of stained plankton (some
put in with other invertebrates).

Said to Hubbs.

9 Leuroglossus stilbivus 1004 (18-83.5)
9 Bathylagus wesethi 144 (18-57)

10	<i>Vinciguerria nimbaria</i>	1(32)
25	<i>Ceratospopelus townsendi</i>	3(17-44)
25	<i>Diaphus theta</i>	1230(14.5-46.6)
25	<i>Diogenichthys atlanticus</i>	1(13)
25	<i>Hierops crockeri</i>	7(15-25)
25	<i>Lampanyctus ritleri</i>	*161(16.4-99.2)
25	<i>Stenobranchius leucopsarus</i>	141(17.5-80.5)
25	<i>Symbolophorus californiensis</i>	14(16-82)
25	<i>Tarletonbeania crenularis</i>	1(32)
25	<i>Triphoturus mexicanus septentrionalis</i>	
10	<i>Stomias atriventer</i>	2183(13-68)
8	<i>Holtbyrnia macrops</i> ^{z = spathara}	20(47-204)
25	<i>Rosenblattichthys volucris</i>	6(24-83)
25	<i>Berthalbella dentata</i>	2(25.5-37)
53	<i>Sebastolobus altivelis</i>	1(31)
53	<i>Sebastolobus alascanus</i>	25(9-27)
8	<i>Holtbyrnia pinthara latifrons</i>	1(17)
8	<i>sagamichthys abei</i>	2(67-81)
26	<i>Nemichthys scolopaceus</i>	8(16-37)
10	<i>Argyropelecus affinis</i>	1(nms)
10	<i>Argyropelecus sladeni</i>	6(18-48)
10	<i>Danaphos oculatus (discard)</i>	89(9-54)
10	<i>Idiacanthus antrostomus</i>	2(20-24)
10	<i>Sternoptyx pseudobscura</i>	15(58-240)
10	<i>Sternoptyx obscura</i>	5(16-30)
31	<i>Anoplogaster cornuta</i>	25(8-21)
10	<i>Bathophilus flemingi</i>	1(99)
31	<i>Scopelogadus mizolepis bispinosus</i>	1(45)
10	<i>Poromitra crassiceps</i>	4(62-74)
10	<i>Cyclothone acclinidens</i>	4(19-28.5)
10	<i>Cyclothone pseudopallida</i>	481(15-51)
* 12	(63-97) gift to S. Collard, UCSB, 26 Apr. 1968.	71(14-32)

State or Country: (continuation) Field No. SI066-536
 County: Map: , 1
 Locality:
 Lat. N., Long. W.
 Water:
 Vegetation:
 Bottom:
 Cover: Temp.:
 Shore: Current:
 Dist. offshore: Stream width:
 Depth of capture: Depth of water:
 Collected by Date:
 Tide: Method of capture:
 Orig. preserv.: Time:

25	Scopelosaurus	harryi	1(41)
10	Dolichopteryx	sp.	1(24)
64	Microstomus	pacificus	3(41-49)
26	Congridae	(lepto.)	1(104)
31	Melanphaes	lugubris	4(25-30)