

State or Country: Baja Calif. Sur, México Field No. S1068-81  
 County: Map: HO 620, 1963  
 Locality: Golfo de California, N.E. of Bahía Concepción Peninsula  
 Lat. 26° 54.6' N., Long. 111° 25.3' W.  
 Water: clear, blue ~~to~~ 26° 46.8' 111° 34.7'  
 Vegetation:   
 Bottom:   
 Cover: Surf. Temp.: 16.6 - 17.8°C  
 Shore: Current: (thermograph)  
 Dist. offshore: 4.0 - 15.4 naut. mi. Stream width: 307 - 1075 fath. (G.D.R.)  
 Depth of capture: est. 0 - m. Depth of water: ~~1075~~ fath. (G.D.R.)  
 Collected by Hubbs, Wisner, McCannaughey + party on P/V  
 Tide: Thomas Washington Date: I: 14-15: 1968  
 Method of capture: Isaacs-Kidd (non-closing) midwater trawl \*  
 Orig. preserv.: 10% form Time: ~~225~~ 0637 (PST, overall)

m 24  
 W.O.  
 1200 m.

To 26° 58.3' N. → 111° 39.3' (turn at 0300)

MV 68-I-48 \* with meter-net cod-end.

2052 Trawl in water 0637 Trawl on deck

Fishes: 1 - 2 qt jar of fishes  
 2 - 3 gallon jars, mixed fishes  
 and invertebrates, in plastic bag.

Gill Hubbs

- 25 Benthosema panamense 58(9.5-35.5)
- 25 Diogenichthys laternatus 135(16-26)
- 25 Hygophum atratum 1(42.5)
- 25 Myctophum aurolaternatum 1(23)
- 25 Diaphus pacificus 1(33)
- 25 Scopelarchoides nictolsi 1(70.6)

- 25 *Triphoturus m. mexicanus* 6975(12.3-64)  
 - surplus, discarded (on give-away shelf)
- 26 *Bathycongrus macrurum* 1(78)
- 25 *Triphoturus mexicanus* 4038(12.2-60)  
 " " " 6975(12.3-64.0)
- 26 *Nemichthys scolopaceus* 1(550)
- 31 *Scopelogadus mizolepis bispinosus* 2(30-38)
- 10 *Argyropelecus lychnus* 2(20-45)
- 9 *Argentina sialis* (larvae) 2(19-25)
- 9 *Bathylagus stilbius* 159(25-83)
- 10 *Stomias atriventer* 7(~~18~~-94-177)
- 10 *Vinciguerria lucetia* 82(13-46)
- 10 *Cyclothone acclinidens* 169(19-43)
- 9 *Bathylagus nigrigenys* 1(21)
- 64 *Symphurus* sp. 11(18-23)
- 26 *Ophichthidae* (lepto.) 28(71-~~107~~<sup>113</sup>)
- 8 *Albula* sp. (lepto.) 288(52-61)