

47

State or Country: Central North Pacific Field No. SI068-483
 County: _____ Map: Styx VII 1
 Locality: between Wake and Midway

Lat. 25° 37.9' N, Long. 178° 07.3' E
 Water: to 25° 50.0' N, 178° 31.9' E
 Vegetation: 25° 46.9' N, 178° 19.6' E

Bottom: _____
 Cover: _____ Temp.: _____
 Shore: _____ Current: _____
 Dist. offshore: _____ Stream width: _____
 Depth of capture: (0-3000 m wire) Depth of water: 2975 - 2970 fms
 Collected by _____
 Tide: _____ Date: Sept 19, 1968
 Method of capture: 1 KMT
 Orig. preserv.: 10% formalin Time: 0945 - 1445

31 *Aroplogaster cornuta* 1(100)
 10 *Sternoptyx diaphana* 21(10-46)
 10 *Valenciennellus tripunctulatus*
 _____ 2(22.5-24)
 _____ ^{plucingens} _____
 10 *Photostomias guernei* 1(61)-58
 26 *Derichthys serpentinus* 1(157)
 25 *Omosudus lowii* 3(18-~~23~~45)
 25 *Alepisaurus* 2(40.5-108.5)
 10 *Ichthyococcus ovatus* 1(46.5)
 10 *Eustomias patulus melanostigma* 1(70.4)
 10 *Chauliodus sloani* 3(48.7-52.5)
 65 *Linophryne arborifera* 1(24)
 25 *Scopelarchus steptensi* 4(57.5-60.9)
 65 *Linophrynidae* (males/larvae) 3(15-17)
 Holotype 60 *Chiasmodon subniger asper* 1(~~66~~65.2)
 65 *Melarocetus murrayi* 2(34-47.5)
 25 *Eurypharynx pelecanaoides* 1(148)
 25 *Ahliesaurus brevis* HOLOTYPE 1(167.3)
 65 *Linophryne penni barbata* 1(37)

discarded 25 *Scopelosaurus* sp. (dam.)

10 *Eustomias cancriensis* 1(69) PARATYPE
 25 *Diaphus signatus* 1(65)
 30 *Rosaura indica* 4(71-159)
 62 *Bregmaceras* sp. 4(26-46)
 25 *Teaningichthys paurolechnus* 1(43)

(over)

25	<i>Lampanyctus steinbecki</i>	26 (27-52)
25	<i>Lampanyctus nobilis</i>	1 (70)
25	<i>Nannobranchium achirus</i>	3 (25-72)
25	<i>Benthoosema suborbitale</i>	11 8 (19-27)
10	<i>Vinciguerria parvifera attenuata</i>	3 (14-24)
10	<i>Vinciguerria nimbaria</i>	9 (18-27)
25	<i>Symbolophorus evermanni</i>	1 (36)
25	<i>Ceratoscopelus warmingi</i>	16 (21-52)
31	<i>Caristius macropus</i>	1 () C+S
25	<i>Diaphus ratinesquii</i>	1 (22)
25	<i>Diaphus chryso-rhynchus</i>	1 (22)
35	<i>Bathysphyraenops simplex</i>	1 (19)
25	<i>Bolinichthys longipes</i>	1 (24)
31	<i>Poromitra megalops</i>	2 (29 38)
31	<i>Poromitra frontosus crassiceps</i>	2 (85-90)
31	<i>Scopelogadus mizolepis bispinosus</i>	5 (39-56)
31	<i>Scopeloberyx robustus</i>	7 8 (23-29)
31	<i>Scopeloberyx opisthopteryx</i>	29 (22-36)
30	<i>Parataeniophorus bertelseni</i>	1 (~25)
10	<i>Macrostomias longibarbatulus</i>	1 (70.5)
10	<i>Gonostoma gracile</i>	1 (64)
26	<i>Serrivomer jespersenii</i>	1 (588)
26	<i>Serrivomer bertini</i>	1 (492)
26	<i>Nemichthys sp. (damaged)</i>	1 (98+)
26	<i>Avocettina infans</i>	3 (130-708)
26	<i>Cyema atrum (lepto.)</i>	1 (60)