

59

State or Country: Central North Pacific Field No. SI068-495  
 County: \_\_\_\_\_ Map: \_\_\_\_\_, 1  
 Locality: vicinity of Midway

Lat. 28° 47.1' N., Long. 177° 44.0' W.

Water: \_\_\_\_\_

Vegetation: \_\_\_\_\_

Bottom: \_\_\_\_\_

Cover: \_\_\_\_\_ Temp.: \_\_\_\_\_

Shore: \_\_\_\_\_ Current: \_\_\_\_\_

Dist. offshore: \_\_\_\_\_ Stream width: \_\_\_\_\_

Depth of capture: \_\_\_\_\_ Depth of water: \_\_\_\_\_

Collected by Styx VII

Tide: \_\_\_\_\_ Date: Sept 23, 1948

Method of capture: 1 KMT

Orig. preserv.: 10% form Time: -1300

10 *Gonostoma gracile* 5(68-136)

10 *Gonostoma elongatum* 1(75)

65 *Ceratias holboelli* 1(35.6)

10 *Valenciennellus tripunctulatus*

— 2(23-24)

10 *Argyropelecus pacificus* 1(30.5)

10 *Argyropelecus intermedius* 5(12-20)

10 *Sternoptyx diaphana* 4(18-39)

10 *Chauliodus sloani* 1(42.8)

10 *Astronesthes gemmifer* 1(95.6)

25 *Benthabella infans* 1(47.0)

65 ~~*Edriolychnus schmidti*~~ 1( )

65 *Dolopichthys longicorris* 1(51)

65 *Linophrynidae* (male larvae) 2(16-18)

60 *Chiasmodon niger* 1(112)

65 *Melarocetus murrayi* 1(30)

62 *Bregmaceros* sp. 2(51-53)

→ 65 *Haplophryne mollis* ~~#39~~ 1( larva)

26 *Serrivomer* sp. 2(180-203)

25 ~~*Taaningichthys*~~ *Taaningichthys minimus* 1(45)

25 *Taaningichthys bathyphilus* 1(62)

25 *Ceratoscopus warmingi* 6(39-51)

25 *Bolinichthys longipes* 2(15-~~5~~52)

25 *Nannobranchium nigrum* 6(43-76)

25 *Diaphus germani* 1(14)

25 *Benthosema suborbitale* 7(19-28)

(over)