

State or Country: Field No. SI068-542

County: Map:, 1

Locality: Central Pacific

pos. at 0550 hrs Lat. 28° 43' N., Long. 156° 46' W.

Water:

Vegetation:

Bottom:

Cover: Temp.:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: 0-1000 m Depth of water:

Collected by J. McGowan

Tide: Date: 28 Sept 1968

Method of capture: IKMWT

Orig. preserv.: Time: 0500-0800

Climax I

10 *Eustomias bifilis* 1(50.5)

10 *Opisthoproctus soleatus* 1(80)

65 *Cryptopsaras conesi* 1(24.5)

10 *Margrethia obtusirostra*

2(17-42)

65 *Melanocetus johnsoni* 1(30)

25 *Scopelarchus stephensi* 1(58.6)

65 *Microlophichthys microlophus* 1(

10 *Gonostoma elongatum* 1(40)

10 *Dolichopteryx* sp 1(43)

25 *Centrobranchus andreae* 1(37)

10 *Sternoptyx diaphana* 12(6-22)

10 *Ichthyococcus ovatus* 1(31)

10 *Danaphos oculatus* 1(32)

10 *Malacosteus niger* 1(105)

10 *Argyropelecus hemigymnus* 1(17)

10 *Heterophotus ophistoma* 1(33)

10 *Photonectes* sp 1(32)

25	<i>Benthoosema suborbitale</i>	4(11-30.5)
25	<i>Notolychnus valdiviae</i>	1(15)
25	<i>Ceratoscopelus warmingi</i>	5(24-58)
25	<i>Lobianchia gemellari</i>	7(21.5-48)
25	<i>Diogenichthys atlanticus</i>	2(12-13)
25	<i>Symbolophorus evermanni</i>	1(33)
25	<i>Bolinichthys longipes</i>	1(18)
25	<i>Hygophum atratum</i>	1(28)
25	<i>Hygophum proximum</i>	1(25)
25	<i>Hygophum reinhardti</i>	2(20-25)
25	<i>Diaphus anderseni</i>	3(15.5-19.5)
25	<i>Diaphus mollis</i>	3(25-56)
10	<i>Vinciguerrria poweriae</i>	3(19-25)
10	<i>Vinciguerrria nimbaria</i>	3(19-29)
25	<i>Triphoturus mexicanus</i>	2(27-33)
25	<i>Nannobrachium hawaiiensis</i>	2(34.5-48)
25	<i>Diaphus phillipsi</i>	1(35)
25	<i>Diaphus perspicillatus</i>	4(21-32)
25	<i>Diaphus jenseni</i>	1(21)
31	<i>Scopeloberyx robustus</i>	7(15-20)
31	<i>Melamphaes laeviceps</i>	1(20)
31	<i>Scopelogadus mizolepis mizolepis</i>	3(22-40)
31	<i>Melamphaes longivelis</i>	1(27)