

State or Country: Celebes Sea Field No. SI069-19

County: _____ Map: _____, 1

Locality: _____

Lat. 06°00.5' N., Long. 122°35.6'E.

Water: _____

Vegetation: _____

Bottom: _____

Cover: _____ Temp.: _____

Shore: _____ Current: _____

Dist. offshore: _____ Stream width: _____

Depth of capture: 3000 mwo Depth of water: _____

Collected by Circe exp, J. Pine + pty

Tide: _____ Date: 21 Apr 1968

Method of capture: IKMWT

Orig. preserv.: T-1 sta 14 leg II Time: 1200-1655

- 65 *Liriophryne* sp. 1(29) ↑ 1(47.5)
- 60 *Kali indica* 1(155.5) ↑
- 10 *Gomostoma atlanticum* 3(41.5-47.5)
- * 42 *Amarsipus carlsbergi* 1(44.5)
- * 10 *Argyripnus* sp. *brocki* 1(62)
- 25 *Coccorella atrata* 1(29.5)
- 30 *Stylophorus chordatus* 5(39-2(5.5))
- 25 *Omosudis lowii* 5(19-40)
- 25 *Scopelengus tristis* 1(23.5)
- 10 *Sternoptyx diaphana* 54(7.5-44)
- 10 *Polyipnus laternatus* 1(23.2)
- 10 *Valenciennellus tripunctulatus* 1(22.5)
- 10 *Stomias affinis* 1(76.3)
- 5 *Scymnodon* cf. *obscurus* 1(50.3)
- 10 *Diploptos greyae* HOLOTYPE 1(101.3)
- 10 *Diploptos greyae* PARATYPES 2(62.3-74.4)
- 10 *Diploptos greyae* 3(ca. 22-26)
- 25 *Diaphtus rotfbölini* 1(29.6)
- 25 *Pontesudis* *Uncisudis advena* ~~2(26)~~ 4(51)
- 25 *Scopelarchus guentheri* 1(98.5)
- 60 *Chiasmodon niger* 2(47.0-58.0)
- 65 *Melanocetus johnsoni* 3(17) → 13.1
- 31 *Avoplogaster cornuta* 1(115)
- * **Vertebrae 15 + 29 incl. hypural**
(count by P. Struhsaker 15 June 1972)

32	Pomacanthidae	3 ()	gift to G. Moser
25	Benthosema fibulatum	3	(11-20)
25	Lampanyctus basili	11	(20-24)
Gift to Calif. Acad. Sci. PARATYPES			
New number CAS 15990			
25	Scopelarchus guentheri	6	(15.5 - 25.9)
25	Diaphus mollis	1	(47)
57	Fistularia	3	(53-77.3)
31	Directmus argenteus	3	(11-16.5)
25	scopelosaurus smithii	1	(31)
25	Myctophum sp postterrae	2	
25	Diaphus signatus	8	(10-49)
25	Diaphus regani	3	(115-46)
25	Lampanyctus alatus	6	(13-42)
25	Nannobranchium nigrum	6	(46-97)
25	Lepidophanes longipes	9	(11-47)
25	Diaphus longleyi	6	(14-55)
25	Myctophum asperum	2	(12-14)
30	Rosaura indica	1	(89.6)
62	Bregmaceros japonicus	7	(9-47)
65	Hakeutopsis stellifera	1	(26.2)
25	Symbolophorus sp evermanni	5	(16-18)
10	Chauliodus sloani	12	(37-149)
10	Sternoptyx sp	4	(5-7)
25	Lampanyctus nobilis	2	(20-29)
25	Myctophum aurolateratum	2	(23-25)
25	Electrona rissoi	1	(19)
25	Diogenichthys panurgus	1	(10)
25	Diogenichthys lateratus	1	(16.5)
25	Diaphus termophilus	7	(13-45)
25	Diaphus splendidus	3	(19-26)
25	Diaphus rafinesquii (R-1)	3	(47-53)
25	Diaphus malayanus	17	(14-29)
25	Diaphus lutkeni	18	(20-48)
25	Diaphus lucidus	4	(17-84)
25	Diaphus jenseni	5	(14-44)
25	Diaphus fulgens (form C)	13	(14-38)
25	Diaphus elucens	1	(57.5)
25	Diaphus diadematus	1	(21)
25	Ceratospelus warmingi	11	(15-54)
31	Scopelogadus mizolepis biopinosus	15	(11-64)
65	Chaunax sp.	1	(12)

State or Country: (continuation) SIO 69-19
Field No.

County: Map:, 1

Locality:

..... Lat. N., Long. W.

Water:

Vegetation:

Bottom:

Cover: Temp:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: Depth of water:

Collected by

Tide: Date:

Method of capture:

Orig. preserv.: Time:

31 *Paramitra megalops* 3(16-37)

31 *Scopelogadus m. mizolepis* 2(25-78)

35 *Howella sherborni* 1(17)

10 *Margrethia obtusirostris* 2(17-18)

10 *Vinciguerria nimbaria* 3(16-16.2)

10 *Vinciguerria poweriae* 2(12.5-13)

26 *Kaupichthys hyopronoides* (lepto.)
2(39-41)

26 *Chlopsis bicollaris* (lepto) 2(45-48)

26 *Synaphobranchidae* (lepto) 7(47-72)

26 *Serrivomer* sp. 3(270-592)

9 *Bathylagoides argyroaster* 1(24)

8 *Alepocephalidae* 1(22)