

State or Country: South eastern Pacific Ocean Field No. SI069-321

County: _____ Map: _____, 1

Locality: _____

Lat. 30°46.0' S, Long. 81°31.5' W

Water: _____

Vegetation: _____

Bottom: _____

Cover: _____

Shore: _____

Dist. offshore: _____

Depth of capture: ca 6-1200 m Depth of water: 58 2200 fms

Collected by R.L. Wisner

Tide: _____

Date: 11:4:1969

Method of capture: 10' Isarcs-kind mid-water trawl

Orig. preserv.: 10% formalin Time: 0320-0830

Piquero IV Sta. 16 (1KMT²) MU69-III-2

10 Danaphos oculatus 5 (35.5-19)

10 Argyropelecus intermedius

10 Chauliodus sloani 2 (21-27) + 2 (62-71)

10 Argyropelecus gigas 1 (76)

10 Sternoptyx diaphana 6 (8.5-29)

10 Bathophilus kingi 2 (38-40)

10 Argyropelecus pacificus 1 (14)

25 Hygophum bruuni 4 (21-23)

60 Chiasmodon sp. 3 (13.14.2)

25 Scopelarchus guentheri 1 (22.5)

* 10 Diplophos taenia sp. 3* 1 (39)

25 Diaphus ostenfeldi 7 (17-22)

* 25 Lobiancha dofleini 46 (10.0-37.2)

25 Evermannella balbo 1 (16)

25 Lampanyctus iselinoides 26 (15.0-29.1)

Paratype 25 Nannobranchium phyllisae 1 (28)

25 Diaphus n. sp. (like theta) 2 (30-43)

25 Nannobranchium wisneri PARATYPES 22 (25-68)

10 Vinciguerria attenuata 57 (11-429.5)

10 Idiacanthus niger 2 (41-233)

25 Symbolophorus sp. reversus 1 (23.5)

25 Lampanyctus pusillus 12 (15.2-31.8)

* cf. orientalis

* 5 removed as gift to Chile 1978

(over)

25	<i>Gonichthys venetus</i>	4(16.8-23.1)
<u>25</u>	<i>Diogenichthys atlanticus</i>	27(9.2-22.1)
25	<i>Ceratoscopelus warmingi</i>	49(12.4-15.5)
25	<i>Notoscopelus resplendens</i>	18(17.4-74.9)
		1(31.5)
35	<i>Bathysphyraenops simplex</i>	1(20.5)
31	<i>Poromitra crassiceps</i>	1(63)
10	<i>Stomias</i> sp.	1(29)
10	<i>Cyclothone acclinidens</i>	34(25-46)
10	<i>Cyclothone alba</i>	48(13-35)
10	<i>Cyclothone atraria</i>	4(36-65)
10	<i>Cyclothone pallida</i>	4(39-53)
10	<i>Cyclothone pseudopallida</i>	14(26-44)