

State or Country: Southeastern Pacific Ocean Field No. SI069-330

County: Map:, 1.

Locality:

Lat. 14° 46.0' S. Long. 93° 37.5' W.

Water:

Vegetation:

Bottom:

Cover: SWY Temp.: 23.6° C

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: 0-940 m Depth of water: ca 2100 fms

Collected by R. L. Wisner

Tide: Date: III: 18: 69

Method of capture: 10' Isaacs kid midwater trawl

Orig. preserv.: 10% formalin Time: 0330-0800

Piguero V Sta. 79 (leaving)

IKAT # 3 MUG 9-III-8

10 *Astronesthes indicus* 1(98.5)

10 *Malacosteus niger* 7(61.5-140)

65 *Cryptopsaras couesii* 1(79.5)

10 *Woodsia ronsuckae* 1(116.5)

10 *Chauliodus sloani* 27(19-222)

10 *Bathophilus filifer* 3(54.5-79.5)

10 *Gonostoma elongatum* 26(37.5-59.5)

8 *Photostylus pycropterus* 1(77.2)

10 *Eustomias bifilis* 1(101)

~~25 *Evermannella indica* 6(32.0-60.8)~~

lavenbergi
savagii

60 *Pseudoscopelus* ~~scopelus~~ 1(34.2)

65 *Melanocetus johnsoni* 1(13.6)

61 *Brotulataenia nielseni* 1(225)

— PARATYPE

25 *Myctophum nitidulum* 1(15.0)

~~25 *Myctophum nitidulum*~~

25 *Diaphus rolfbolini* PARATYPES 2(45.8-51.3)

25 *Hygophum proximum* 10(12-30)

25 *Myctophum spinosum?* 1(19.9)

25 *Evermannella ahlstromi* 6(32-60.8)

— PARATYPES

* 25 ~~*Lampanyctus* n. sp.~~ 2(60-64)

25 *Lepidophanes longipes* 8(16-39)

25 *Lampanyctus idostigma* 29(19-65)

25 *Diaphus longleyi* 2(51-52)

25 *Parvilux boschmai* 1(124.0)

↳ Gift to J. Wang, Taiwan

26	<i>Serrivomer sector</i>	6 (188-656)
25	<i>Symbolophorus evermanni</i>	28 (18-41)
25	<i>Nannobrachium lineatum</i>	2 (66.5-118)
25	<i>Nannobrachium crypticum</i>	3 (23-86)
25	<i>Nannobrachium achirus</i>	7 (26-84)
* 25	<i>Nannobrachium wisneri</i>	2 (60-64)
25	<i>Lampanyctus parvicauda</i>	5 (29-34)
10	<i>Sternoptyx obscura</i>	128 (6-36)
10	<i>Sternoptyx pseudobscura</i>	5 (25-38)
10	<i>Sternoptyx diaphana</i>	229 (6-38)
25	<i>Benthoosema suborbitale</i>	6 (11.9-30.8)
10	<i>Argyropelecus affinis</i>	1 (37)
10	<i>Argyropelecus lychnus</i>	1 (32)
25	<i>Bolinichthys longipes</i>	8 (16-39)
10	<i>Idiacanthus fasciola</i>	9 (36-88)
25	<i>Ceratospelus warmingi</i>	93 (13-71)
25	<i>Hygophum reinhardti</i>	54 (13-41)
25	<i>Lampanyctus steinbecki</i>	7 (19-45)
25	<i>Lampanyctus tenuiformis</i>	2 (35-44)
25	<i>Lepidophanes photothorax</i>	56 (15-56)
25	<i>Lobianchia gemellari</i>	1 (30)
25	<i>Myctophum asperum</i>	1 (11)
25	<i>Myctophum eurolateratum</i>	2 (28.7-106.5)
25	<i>Diogenichthys atlanticus</i>	124 124 (12-22)
25	<i>Diaphus fulgens</i> (form D)	27 (10-33)
25	<i>Diogenichthys lateratus</i>	8 (11-17)
25	<i>Notoscopelus resplendens</i>	4 (21.8-78.3)
25	<i>Notolychnus valdiviae</i>	103 (12-25)
25	<i>Taaningichthys bathyphilus</i>	4 (25.6-72.9)
25	<i>Triphoturus oculus</i>	7 (33-41)
25	<i>Triphoturus nigrescens</i>	88 (15-40)
31	<i>Poromitra megalops</i>	1 (47)
31	<i>Scopelogadus m. bipinnosus mizolepis</i>	49 (12-62)
62	<i>Bregmaceros atlanticus</i>	3 (19-27)

(cont'd - next page)

(continuation)

SI069-330

State or Country: Field No.

County: Map:, 1.....

Locality:

..... Lat. N., Long. W.

Water:

Vegetation:

Bottom:

Cover: Temp.:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: Depth of water:

Collected by

Tide: Date:

Method of capture:

Orig. preserv.: Time:

9 *Bathylagus nigrigenys* 1(34)

10 *Vinciguerria nimbaria* 372(14-38)

65 *Gigantactis* sp. 1(7)

(paratypes) 25 *Nannobranchium phyllisae* 7(26-84)

10 *Bathophilus* sp. 1(20)

10 *Astronesthidae* (larvae) 3(32-33)

25 *Sudis atrox* 1(23)