

State or Country: Field No. SI069-355

County: Map:, 1

Locality: Central Pacific Ocean

Lat. 10°04.0' N., Long. 151°24.0'E.

Water: to 10°11' N., 151°17'E.

Vegetation:

Bottom:

Cover: Temp:

Shore: Current:

Dist. offshore: Stream width:

Depth of capture: 0-525 m + Depth of water:

Depth of capture: 0-485 m

Collected by J. Coatsworth, R/V "Argo"

Tide: Date: 10 July 1969

Method of capture: 10 ft IKMWT

Orig. preserv.: form Time: 2015-1150

Scan V sta 55

10	<i>Gonostoma ebelingi</i>	9 (35.5 - 117.5)
*10	<i>Gonostoma atlanticum</i>	6 (40-55.5) 7 (20.5-55.5)
10	<i>Argyropelecus gigas</i>	1 (44.2)
10	<i>Argyropelecus hawaiiensis?</i>	2 (25-30.5) 2 (25-30.5)
10	<i>Argyropelecus intermedius?</i>	5 (14-26.5)
10	<i>Echiosstoma barbatum</i>	1 (31.5)
10	<i>Argyropelecus sp.</i>	1 (27.5)
10	<i>Valenciennellus tripunctulatus</i>	14 (20-25)
—		
25	<i>Scopelarchus michaelsarsi</i>	1 (17.4)
25	<i>Scopelarchus guentheri</i>	1 (28.1)
discard	10 <i>Danaphos oculatus</i>	4 ()
25	<i>Myctophum lychnobium</i>	1 (36)
31	<i>Poromitra crassiceps</i>	1 (52)
25	<i>Bolinichthys longipes</i>	2 (15-18)
25	<i>Ceratoscopelus warmingi</i>	10 (36.6-57.8)
25	<i>Nannobranchium fernae</i>	1 (42)
25	<i>Nannobranchium ritteri</i>	1 (41)
25	<i>Nannobranchium achirus</i>	5 (22-47)
25	<i>Nannobranchium nigrum</i>	2 (35-40)
25	<i>Diaphus similis</i>	3 (32-51)
25	<i>Diaphus splendidus</i>	2 (22-30)
25	<i>Diaphus dumerili</i>	2 (17-18)
25	<i>Diaphus theta</i>	2 (36-37)
25	<i>Diaphus brachycephalus</i>	1 (27)

* Gift to Chile 1978

31 Melamphaes sp 3(18-26)
31 Scopelogadus mizolepis mizolepis 1(43)
43 Nealotus tripes 1(⁴³~~48~~)

State or Country: SCAN VI STAT. 55 Field No. MWT #3

County: _____ Map: _____, 1

Locality: START: 10° 04.0' N, 151° 24.0' E
FINISH Lat. 10° 11' N; N., Long. 151° 17' E. W.

Water: _____
Vegetation: _____

Bottom: _____

Cover: _____ Temp: _____

Shore: _____ Current: _____

Dist. offshore: _____ Stream width: _____

Depth of capture: _____ Depth of water: _____

Collected by J. COATSWORTH

Tide: _____ Date: 10 July 1969

Method of capture: 1 KMWT 10'

Orig. preserv.: Formalin 10% Time: 2015-1150
+ Sod. Borate Buffer

- AT 25 m/min ship speed 3-3.5 kts,
- 1) pay out to 1400 m.w.d.
 - 2) Retrieve to 100 m.w.d.
 - 3) pay out to 1400 m.w.d.
 - 4) Retrieve to surface

max. depth 525 m on PASS 1
485 m on PASS 3.