

SIO No.: SIO 70-110  
State or Country: \_\_\_\_\_ Station: B-5  
County: South Map: \_\_\_\_\_, 1  
Locality: North Central Pacific

Lat. 24° 58' S, Long. 154° 49' W

Water: \_\_\_\_\_

Vegetation: \_\_\_\_\_

Bottom: \_\_\_\_\_

Temp.: \_\_\_\_\_ Sal.: \_\_\_\_\_ Current: \_\_\_\_\_

Dist. offshore: \_\_\_\_\_ Tide: \_\_\_\_\_

Depth of capture: 3500 m Depth of water: \_\_\_\_\_

Collected by Climax II Exped.

Time: 1832-2035

Method of capture: IKMWT

Orig. preserv.: \_\_\_\_\_ Date: 7 Oct 1969

atlantica  
25 *Coccorella atrata* 1 (46.5)  
25 *Scopelarchoides climax* 1 (33.5)  
— paratypes  
10 *Gonostoma elongatum* 3 (24.4-33.0)  
25 *Scopelarchus michaelsarsi* 1 (29.0)  
10 *Leptostomias haplocaulus?* 1 (44.5)  
10 *Eustomias gibbsi* PARATYPE 1 (62.6)  
10 *Sternoptyx diaphana* 4 (8.5-35)  
10 *Gonostoma atlanticum* 1 (67)  
10 *Argyropelecus intermedius* 1 (17.5)  
10 *Valenciennellus tripunctulatus* 2 (22)  
10 *Vinciguerria rimbaria* 1 (30.5)  
\* 25 ~~*Lampanyctus niger*~~ 1 (37.1)  
25 *Diogenichthys atlanticus* 2 (8 15.6-22.3)  
25 *Hygophum reinhardti* 1 (29.7)  
25 *Taaningichthys minimus* 1 (28.0)  
25 *Scopelopsis multipunctatus* 13 (23.2-27.9)  
25 *Notolynchus valdiviae* 12 (11.2-22.0)  
25 *Notoscopelus resplendens* 1 (27.2)  
25 *Lampanyctus steinbecki* 4 (27.3-45.0)  
10 *Cyclothone microdon* 5 (35.6-50.8)  
10 *Sternoptyx diaphana* or *pseudob.* 1 (7.6)  
31 *Melamphaes simus* 2 (13.8-21.0)  
31 *Poromitra crassiceps* 2 (9.7-17.5)  
10 *Cyclothone alba* 15 (16.4-26.9)  
10 *Cyclothone pseudopallida* 5 (18.6-36.2)  
10 *Cyclothone pallida* 6 (18.0-24.3)

25 Ceratascopelus warmingi 2 (25.3-33.5)  
~~10 Cyclothone alba~~ 10 (16.4-26.9)  
Serrivomerid cel larvae 10 )  
\* Discarded

↑  
on empty