

71-260 ✓

SIO No.:
State or Country: Panamá: Pacific Station: JEM 71-64
County: Panamá Bay Map:
Locality: Taboguilla Island, South shore reef
ca. 30 yds. offshore

Lat. 8°48'08" N, Long. 79°31'17" W.

Water:
Rock reef, ca. 100 sq. yds., over sand
bottom at 60', coming up to 20'. Fishes
collected along vertical face with heavy black coral growth.

Temp.: Sal.: Current:
Dist. offshore: Tide:
Depth of capture: 30-60' Depth of water: to 60'
Collected by J.E. McCosker

Time: 1000 - 1200
Method of capture: Quinaldine
Orig. preserv.: 10% formalin Date: 28 July 1971

61	Protemblemaria bicirrus	24 (19.3 - 31.5)
57	Hippocampus ingens	1 (127)

Hippocampus collected at 30', found hiding
in branch of identically colored black
coral with orange polyps - photographed.
Coral was ~~Antipathes~~ Antipathes ~~paramensis~~ paramensis - Identified by C. Birkeland

Protomblemaria in deeper water, 50-60',
living in holes, usually associated with
oyster attachments (Scallops, actually).

Several fish kept alive - Acanthemblemaria
exilispinus, A. hancocki, Sobieskonia
baocki, S. puncticulatum, and Ramula.