

SIO No.: **STO 71-294**
 State or Country: **Cent. N. Pacific** Station: **ARIES 9-41**
 County: _____ Map: _____, 1.
 Locality: _____
 Lat. **27° 25.3' - 27° 32.2' N**
 Long. **155° 27.7' - 155° 11.5' W.**
 Lat. **27° 28.7' N** N., Long. **155° 19.6' W.**
 Water: _____
 Vegetation: _____
 Bottom: _____
 Temp.: _____ Sal.: _____ Current: _____
 Dist. offshore: _____ Tide: _____
 Depth of capture: _____ Depth of water: _____
 Collected by **McBarnett / J. Amegnon, R/V "Thomas Washington"** Time: **0702 - 1205**
 Method of capture: **1 K.M.T. 3000 M.W.D.**
 Orig. preserv.: **FORMALIN** Date: **29 SEPT. 1971**

10	<i>Cyclothone pallida</i>	122(20.4-55.4)
31	<i>Poromitra oscitans</i>	1(58)
31	<i>Scopeloberyx robustus</i>	3(29.1-30.6)
31	<i>Melamphaes sirrus</i>	6(19.2-21.6)
31	<i>Poromitra megalops</i>	1(17.4)
30	<i>Bathyleptus cf. lisae</i>	1(41.5)
25	<i>Diaphus cf. schmidti</i>	1(28.4)
25	<i>Odontostomops normalops</i>	1(113.7)
25	<i>Diaphus mottis #2 fulgens (A)</i>	1(13.3)
10	<i>Valenciennellus tripunctulatus</i>	1(23.5)
10	<i>Vinciguerria rimbaria</i>	3(14.8-20.7)
6*	25 <i>Lampargetus niger</i>	1(42.1)
10	<i>Idiacanthus fasciola</i>	1(46.3)
10	<i>Sternoptyx diaphana</i>	10(7.2-36.6)
10	<i>Margrethia obtusirostra</i>	1(39.2)
25	<i>Benthosema suborbitale</i>	1(14.3)
25	<i>Ceratoscopelus warmingi</i>	3(19.7-51)
31	<i>Scopeloberyx opisthopterus</i>	7(27.7-32.3)
25	<i>Diaphus rolfholmi</i>	2(12.8-16.9)
25	<i>Benthosema fibulata</i>	1(28.1)
30	<i>Bathyleptus lisae</i>	3(77-104.4)
10	<i>Gorostoma ebelingi</i>	1(63.7)
10	<i>Cyclothone pseudopallida</i>	17(11.7-41.1)
10	<i>Cyclothone alba</i>	27(11.5-29.4)
25	<i>Diaphus elucens</i>	1(20.5)
26	<i>Avocettira infans</i>	6(22.3-58.4)
25	<i>Lepidophanes longipes</i>	2(28.5-47.5)

26 Serrivomer sp. sector	1(308)
25 Lamparyctus tenuiformis	3(48.1-101.7)
10 Gonostoma gracile	2(110.5-117.5)
*25 Lamparyctus n. sp.	6(22.3-58.4)
62 Bregmaceros japonicus	4*(20.3-50)
62 Bregmaceros maclellandi	3(21.7-77.6)
25 Scopelarchus analis	1()
25 Lamparyctus steinbecki	1(48)
25 Lamparyctus n. sp. robilis	2(74.2-101.7)
25 Otosudis lowei	5(11.8-196.5)
25 Symbolophorus evermanni	4(35.2-85.3)
10 Cyclothone acclinidens	1(53.0)
10 Sternoptyx diaphana	2(10.0-29.2)
10 Sternoptyx indeter.	7(7.2-9.0)
10 Sternoptyx pseudobscura	1(36.6)
26 Cyema atrum	1(93.1)
60 Kali indica falx (Paratype)	1(129.8)
25 Lameina terminata	1(45.0)
25 Paralepis atlantica	1(42.5)
25 Vitiaziella cubiceps	1(45.6)
25 Myctophum nitidulum	1(13)
25 Triphoturus nigrescens disc.	3(26.7-34.9)
26 Avocettina sp.	1(592.3)
62 Melanonus sp.	1(42.1)
*25 Nannobrachium hawaiiensis	6(22.3-58.4)
25 Hygophum atratum	1(28.1)