

SIO No.: 72-311
 State or Country: CENT. SOUTH PACIFIC Station: C470 II-112 (B2)
 County: Map: 1
 Locality:
 Lat. N, Long. W.
 Water:
 Vegetation:
 Bottom:
 Temp.: Sal.: Current:
 Dist. offshore: Tide:
 Depth of capture: Depth of water:
 Collected by Time: 1741-2114

Method of capture: 10' IKMT

Orig. preserv.: FORMALIN

Date: 31 JULY 1972

10	<i>Argyropelecus hemigymnus</i>	2 (22.2-23.8)
10	<i>Argyropelecus lychnus</i>	3 (8.7-15.2)
10	<i>Cyclothone alba</i>	38 (14.3-26.1)
		+ 10 pieces
10	<i>Cyclothone microdon</i>	12 (37.1-55.6)
10	<i>Cyclothone pallida</i>	13 (16.3-69.7)
		+ 3 pieces
10	<i>Cyclothone pseudopallida</i>	25 (13.4-43.0)
		+ 5 pieces
10	<i>Gonostoma atlanticum</i>	1 (61.2)
10	<i>Gonostoma ebelingi</i>	2 (71.2-161.0)
10	<i>Idiacanthus fasciola</i>	2 (297.3-301.2)
10	<i>Melanostomiidae</i>	1 (28.8)
10	<i>Photonectes</i> sp.	1 (26.4)
10	<i>Valenciennellus tripunctulatus</i>	2 (14.2-29.2)
25	<i>Benthosema suborbitale</i>	1 (30.3)
25	<i>Bolinichthys photothorax</i>	4 (9.2-22.9)
25	<i>Ceratospilus warmingi</i>	9 (18.0-58.8)
25	<i>Diaphus anderseni</i>	1 (17.6)
25	<i>Diaphus mollis</i> #1	1 (29.6)
25	<i>Diaphus schmidti</i>	1 (35.9)
25	<i>Diogenichthys atlanticus</i>	6 (12.5-18.3)
25	<i>Hypophum teinhardtii</i>	3 (23.2-41.0)
25	<i>Lampadena urophaos</i>	2 (18.4-19.3)
25	<i>Notolichnus valdiviae</i>	20 (14.3-21.9)
25	<i>Omosudis lowii</i>	1 (15.2)
25	<i>Scopelosaurus</i> sp.	1 (15.1-57.9)
31	<i>Melamphaes sinus</i>	3 (15.9-21.2)

given to
P. DOYLE (SIO)

31	Scopeloberyx opisthopterus	1(26.4)
31	Scopelogadus m. mizolepis	1(22.8)
25	Lamparocyttus steinbecki	13(15.4-43.2)
*25	Lamparocyttus niger #1	1(27.7)
25	Lamparocyttus festivus	2(50.2-51.7)
10	Sternoptyx diaphana	10(8.7-35.1)
60	Chiasmodon niger	1(35.1)
25	Paralepis atlantica	1(35.6)
25	Diaphus termophilus	2(26.1-27.3)
25	Scopelarchoides signifer	PARATYPE 1(16.8)
25	Scopelarchoides climax	PARATYPE 1(18.5)
25	Scopelarchus analis	1(20)

*Discarded 12/1/83

25	Stemonosudis rothschildi	1(29.1)
----	--------------------------	---------