

State or Country: No. Pacific SIO No.: 97-90
County: Station: 20.127
Locality: Cruise 7210-JD
Lat. 20° N., Long. 127° W.
Water:
Vegetation:
Bottom:
Temp.: Sal.: Current:
Dist. offshore: Tide:
Depth of capture: 443 m (1000 mwo) Depth of water: 4900 m
Collected by NMFS-La Jolla; R/V David Starr Jordan
Time: 0344-0503
Method of capture: 50' MWT
Orig. preserv.: Date: 5 Oct 1972
Nov

10	<i>Eustomias bifilis</i>	1(78)
10	<i>Bathophilus nigerrimus</i>	1(40)
34	<i>Ranzania laevis</i>	3(132-140)
10	<i>Idiacanthus antrostomus</i>	7(132-307)
25	<i>Bolinichthys longipes</i>	121(21-46)
25	<i>Lampanyctus nobilis</i>	44(31-80)
25	<i>Nannobrachium hawaiiensis</i>	32(27-73)
25	<i>Ceratoscopelus warmingi</i>	109(21-64)
25	<i>Ceratoscopelus townsendi</i>	54(28-47)
25	<i>Notoscopelus resplendens</i>	7(50-74)
10	<i>Vinciguerria nimbaria</i>	117(15-46)
10	<i>Gonostoma ebelingi</i>	4(98-134)
10	<i>Argyroteleus affinis</i>	7(12-53)

10	<i>Argyropelecus hemigymnus</i>	12(12-23)
10	<i>Cyclothone signata</i>	256(17-33)
25	<i>Lampanyctus steinbecki</i>	53(23-55)
25	<i>Diogenichthys atlanticus</i>	265(14-24)
10	<i>Dolichopteryx</i> sp	1(61)
25	<i>Notolychnus valdiviae</i>	108(16-23)
31	<i>Scopelogadus mizolepis</i>	12(23-63)
25	<i>Protomyctophum crockeri</i>	10(18-48)
25	<i>Symbolophorus evermanni</i>	1(72)
25	<i>Diaphus anderseni</i>	9(23-31)
25	<i>Diaphus mollis</i>	14(23-44)
62	<i>Bregmaceros</i> sp. B	4(59-66)
10	<i>Argyropelecus lychnus</i>	4(8-58)
25	<i>Diaphus bertelseni</i>	1(42)
31	<i>Melamphaes eulepis</i>	1(45)
10	<i>Diplophos taenia</i>	1(74)
10	<i>Vinciguerrria poweriae</i>	3(32-34)
10	<i>Danaphos oculatus</i>	9(21-38)
10	<i>Cyclothone pseudopallida</i>	7(24-32)
disc. 10	<i>Cyclothone acclinidens</i>	4(18-20)
8	<i>Sagamichthys abei</i>	2(17-20)
9	<i>Dolicholagus longirostris</i>	1(34)

(cont'd)

(continuation)

State or Country: SIO 97-90
Field No.
County: Map: 1
Locality:
..... Lat. N., Long. W.
Water:
Vegetation:
Bottom:
Cover: Temp.:
Shore: Current:
Dist. offshore: Stream width:
Depth of capture: Depth of water:
Collected by
Tide: Date:
Method of capture:
Orig. preserv.: Time:

25 Hygophum proximum 3(26-38)

25 Hygophum reinhardtii 5(30-45)

25 Nannobrachium nigrum 3(40-58)

25 Myctophum lychnobium 2(32-35)

25 Myctophum selenops 1(42)

25 Diaphus phillipsi 1(35)