

State or Country: No. Pacific SIO No.: 97-97  
 County: \_\_\_\_\_ Station: 24.131  
 Locality: \_\_\_\_\_ Map: \_\_\_\_\_, 1  
 \_\_\_\_\_ Cruise 7210-JD  
 \_\_\_\_\_  
 Lat. 24°00' N., Long. 131°00' W.  
 Water: \_\_\_\_\_  
 Vegetation: \_\_\_\_\_  
 Bottom: \_\_\_\_\_  
 Temp.: \_\_\_\_\_ Sal.: \_\_\_\_\_ Current: \_\_\_\_\_  
 Dist. offshore: \_\_\_\_\_ Tide: \_\_\_\_\_  
 Depth of capture: 442 m (1000 mwd) Depth of water: 4800 m  
 Collected by NMFS-La Jolla RV David Starr Jordan  
 Time: 1917-2036  
 Method of capture: 50' MWT  
 Orig. preserv.: \_\_\_\_\_ Date: 26 Oct. 1972

|    |                                   |                                                                  |
|----|-----------------------------------|------------------------------------------------------------------|
| 10 | <i>Bathophilus brevis</i>         | 1 (32)                                                           |
| 25 | <i>Ceratoscopelus warmingi</i>    | <sup>224</sup> <del>170</del> ( <sup>21</sup> <del>34</del> -61) |
| 25 | <i>Nannobranchium nigrum</i>      | 3 (64-116)                                                       |
| 25 | <i>Bolinichthys longipes</i>      | 63 (17-43)                                                       |
| 25 | <i>Scopelosaurus hoedti</i>       | 1 (108)                                                          |
| 35 | <i>Howella zina</i>               | 1 (65)                                                           |
| 31 | <i>Scopelogadus mizolepis</i>     | 10 (50-55)                                                       |
| 25 | <i>Lampadena europaeus</i>        | 4 (39-79)                                                        |
| 25 | <i>Nannobranchium hawaiiensis</i> | 29 (23-88)                                                       |
| 25 | <i>Lampanyctus nobilis</i>        | 8 (27-63)                                                        |
| 25 | <i>Lobianchia gemellarii</i>      | 8 (28-60)                                                        |
| 25 | <i>Notolychnus valdiviae</i>      | 115 (17-23)                                                      |
| 62 | <i>Bregmaceros maclellandi</i>    | 6 (25-52)                                                        |

|    |                                    |             |
|----|------------------------------------|-------------|
| 25 | Lampanyctus festivus               | 26 (21-53)  |
| 25 | Diogenichthys atlanticus           | 141 (10-21) |
| 25 | Symbolophorus evermanni            | 1 (50)      |
| 25 | Taaningichthys minimus             | 3 (46-52)   |
| 25 | Notoscopelus resplendens           | 7 (40-70)   |
| 25 | Ceratoscopelus townsendi           | 17 (24-48)  |
| 25 | Hygophum reinhardti                | 17 (15-47)  |
| 25 | Diaphus mollis                     | 24 (21-42)  |
| 62 | Bregmaceros sp. A                  | 6 (25-52)   |
| 10 | Diplophos taenia                   | 3 (45-91)   |
| 31 | Melamphaes <del>parvus</del> Simus | 2 (22-26)   |
| 25 | Diaphus anderseni                  | 2 (18-27)   |
| 10 | Valenciennellus tripunctulatus     | 2 (23)      |
| 10 | Argyropelecus affinis              | 2 (12-13)   |
| 10 | Argyropelecus hemigymnus           | 8 (7-23)    |
| 10 | Cyclothone alba                    | 1 (20)      |
| 10 | Cyclothone signata                 | 95 (14-28)  |
| 10 | Danaphos oculatus                  | 12 (22-33)  |
| 10 | Gonostoma atlanticum               | 2 (21-24)   |
| 10 | Opisthoproctus soleatus            | 1 (21)      |
| 10 | Vinciguerrria nimbaria             | 22 (15-42)  |
| 10 | Vinciguerrria poweriae             | 18 (19-32)  |

(continued - next page)

(continuation)

SIO97-97

State or Country: ..... Field No. ....  
County: ..... Map: ..... 1 .....  
Locality: .....  
..... Lat. .... N., Long. .... W.  
Water: .....  
Vegetation: .....  
Bottom: .....  
Cover: ..... Temp.: .....  
Shore: ..... Current: .....  
Dist. offshore: ..... Stream width: .....  
Depth of capture: ..... Depth of water: .....  
Collected by .....  
Tide: ..... Date: .....  
Method of capture: .....  
Orig. preserv.: ..... Time: .....

25 *Centrobranchus nigroocellatus* 1(31)

25 *Diaphus pacificus* 1(31.5)

25 *Lestidiops* sp. 1(51)

25 *Loweina rara* 1(23)

25 *Protomyctophum crockeri* 1(37)

25 *Stemonosudis macrurus* 1(75)